

Innovative Fishing Floats and Accessories

CRALUSSO, CHOICE OF THE WINNERS



www.cralusso.com





From the 900.000 enterprises based in Hungary Mr. Karoly Kralik was chosen, due to his domestic and international results, the creator of Cralusso float range was asked to become a Hungarian Talent Ambassador.

When I decided to launch Cralusso I knew that instead of improving on existing products I would have to set off in an entirely new direction, developing new solutions and technologies. Our revolutionary innovations, such as our ground-breaking fishing floats enabled users to win countless world, European and national championships. During the recent years and months we have been focusing on reforming feeder and method equipment. Our unrivalled models were developed with the help of cutting-edge 3D printing technology. I am sure we have made our mark – these products can help make fishing even more enjoyable and successful.

#### Cralusso, choice of the winners









In 2015 has reached another World Cup victory with our products. The Club's Team World Championship, which held in Zilina, the Slovakian Team take possession of first place with Cralusso floats

#### Main milestones:

2002: Launch Cralusso

2003: World Championship – Torpedo 2005: European Championship – Torpedo

2006: Innovation Expo, GENIUS award 2007: U.S. Open – Golf and Bubble

2008: European Championship - Torpedo

2008: U.S. Open - Shark

2008: Hungarian National Championship - Shark

2009: Best Stand award

2010: Sponsorship at Poznan World Cup

2012: Title of Hungarian Talent Ambassador

2013: Expand the NAVIGATOR line

2014: Dutch men's team – the title of world champion Hungarian team of disabled people – individual and team title of world champion Hungarian team of veterans – world champion

bronze medal







2015: Best Stand award Slovakian Team won the Club Team World Championship with Torpedo floats

2018: Our company has won a research and development tender. We have established our development workshop equipped with state-of-the-art machines to provide a foundation for the innovations in the coming years.

2019: The Bosnian team that won club world championship using our Raj and Torpedo floats in Prelog, Croatia.



József Pilán, Cralusso's test angler was awarded a world championship bronze medal at the age of 70.





A new hydrodynamic form developed by Cralusso, the body does not lift out the water when held back. This float is for use on the pole and is ideal for use in medium or strong flow when you wish to present static or slow moving baits. It is so good and reliable that it has become the number one choice of flat float for anglers of all abilities including a few world champions!

Some quotations about the Torpedo:

- Alan Scotthorne: "The best flat float I've ever used" Angling Times, May 10 2005.
- Bob Nudd: "It will add a new dimension to your polefishing"

Angling Times 31 May 2005



Code: 1001



# TORPEDO Tuning


An advanced version of the Torpedo float, which helped the Hungarian team to win gold in the 2003 World Championship. The Torpedo Tuning was also the success story of the 2005 European Championship - 80% of the contestants used our floats, including Will Raison, the individual champion.

As with the Torpedo, this float is for use on the pole and is ideal for use in medium or strong flow when you wish to present static or slow moving baits.

Sizes: 6 - 8 - 10 - 12 - 15 - 20 - 25 - 30 - 40 - 50 - 70 gr



With recommendation of Tibor Ambrus, world champion












Code: 1003





Variable antenna 1-5 gr 2 pcs Variable antenna 6-20 gr 5 pcs Waterproof polyurethane body Floats can be changed without dismantling the rig

The next step of success! József Papp won the 2008 U.S. open using a Cralusso Bubble



# Functions of two floats in one 2 in 1 Code: 1004



1 You should use the first antenna position when you are holding the float back hard or even lightly.


You should use the second antenna position when you want the float running through the swim Sizes:

> 1 - 1,5 - 2 - 3 - 4 - 5 - 6 8 - 10 - 12 - 15 - 20 gr 25 - 30 - 40 - 50 gr

Shark, the brand new flat float was developed using many years of experience in float design and was in response to the demand from professional anglers. Used primarily for pole fishing the float can present baits in many ways. The antenna position can be changed according to your technique - whether this is holding back hard or running the float through the swim.

> When the current is strong or you are holding back hard use the first bristle position. When the flow is slower or you want to run the float through the swim the second bristle position is recommended.

The streamline hump on top of the float – the sharks fin - aids stability and sensitivity - even the smallest of bites can be seen clearly.



The introduction of the Shark was at the Hungarian National Championship in 2008, where Tibor Ambrus, one of the leaders of the Tubertini-MarosMix-Cralusso group won the competition using this new



## Choice of the Champions



Code: 1027

This hard- wearing polyurethane disc float developed by Cralusso can take the place of tradicional balsa models, that can be damaged easily.



Sizes:

1 - 1,5 - 2 - 3 - 4 - 5 - 6 - 8 - 10 - 12 - 15 - 20 qr 25 - 30 - 40 - 50 gr

The favourite float of the world championship held in Croatia in 2014, helping the Dutch team to earn the title of world champion



In this competition, Alan Scotthorne – five times individual world champion of England – and many other teams have used the innovative Cralusso floats!



Code: 1002

A special river float for use with rod and reel set ups that can be held back hard without drifting in across the flow. The direction and speed can be changed

easily offering perfect and accurate presentation. Ideal for medium and strongly currents although it can be used on still water for predator fishing when you wish to work a baitfish parallel to the bank.



Sizes:

3 - 4 - 6 - 8 - 10 - 12 15 - 20 gr

A river float for use Bolognese rods and any running line set up. The design allows you to hold the float back without it drifting in across the flow. You can vary the speed of travel easily, but in sufficient flow and by holding back hard it is possible to lead the Bolo out from the bank toward features, cover or your feed line. You can effectively position the float before letting it run

through the swim.























## Revolutionary new waggler designs from Cralusso



We developed the Rocket for long, accurate, straight casting. The Rocket has unique features that enable it to fly much better than traditional wagglers

- even those with flights



Б

= 0.45 qr

= 1,0 qr

= 2,0 gr

Variable/removable


weights in the body





Thanks to the versatile and adaptable

antenna system, twenty Cralusso sight tips can be used with this float. Three tips are contained in each pack.



2

3

The calibration system helps quick, simple and accurate adjustments. with 0,05 gr graduations being possible

The aerodynamics are improved with surface indentations (as on a golf ball) which reduces air resistance and

PUR increases stability.



The critical element of the Rocket design is the special attachment system. This ensures the optimum position of the float and the terminal tackle it is 'towing' during flight - thus ensuring maximum distance and accuracy is achieved.

When you use this floats after casting you should hold back the float before it falls dawn into the water to eliminate the possibility of tangles.


Size gr	Changeable weight				
6	2,0 gr				
8	2,5 gr				
10	3,0 gr				
12	3,0 gr				
14	3,0 gr				
16	3,5 gr				
18	3,5 gr				
20	3,5 gr				

Recommended float adaptors: Anti tangle waggler attachment Size: Small, Medium Code: 2006

#### How to use this attachment?

The short stem faces toward the rod.

The long stem is faces toward the hook.











Code: 1007

The Ufo and Dart floats utilize Cralusso's innovations, which give them their efficacy and popularity.







Adjusting the antenna and the sensitivity can be performed repeatedly using the calibration solution. They've become preferred by the anglers because of their versatile, simple usage and their durable design.

The concept is the same as that found in the UFO waggler but in addition to the other latest developments this version incorporates a flight.

1 2 3 4 The body is made of polyurethane, which is not sensitive to surface damage. The Dart is a very versatile float, which is a suitable for both pleasure and match anglers alike.



Recommended float adaptors Waggler Attachment Light: 2005 Brass Head Safety Snap: 2122 Plastic head swivel with interlock snap: 2123


The aerodynamics are improved with surface indentations (as on a golf ball) which reduces air resistance and increases stability.



PUR








This model - Rocket Light - has an extraordinary flying ability. While retaining incredible accuracy it is possible, because of the attachment system, to cast 20-30% longer distances than with traditional floats.

Size gr	Changeable weight			
1,5	1,0 gr			
2,0	1,0 gr			
2,5	1,0 gr			
3,0	1,0 gr			
4,0	1,5 gr			
6,0	1,5 gr			
8,0	1,5 gr			

# DARI

Code: 1008




The stem of the float is made from a material that is very strong and will remain straight without becoming twisted or curved.

The calibration system helps quick, simple and accurate adjustments. with 0,05 gr graduations being possible

Size gr	Changeable weight
6	2,5 gr
8	3,0 gr
10	3,0 gr
12	3,0 gr
14	3,5 gr
16	3,5 gr
18	4,5 gr
20	5,5 gr

To achieve a more precise setting and presentation we have built in the Cralusso calibration system into the 4 - 5 - 6 and 8q Rocket Light floats





The removeable

dart wings help

the floats to

the flight.



The aim of continuous innovation to create the best waggler float!



Incorporates a removable brass disc weight system and, of course, all the usual Cralusso innovative features









The ARROW waggler ensures an aerodynamic flight, high levels of sensitivity and offers a multifunctional, easy to use float. The longer stem offers the following advantages:

- Generates extraordinary stability and distance in flight
- The body and main weight of the float sits deep in the water and it is therefore less influenced by wind and surface skim
- The long float aids the important task of getting your line deep in the water

Transportation of the long float is not difficult as the stem and body can be separated. This allows the carrying of made up rods where required with no risk of float damage.

Size gr	Changeable weight
8	3,0 gr
10	4,0 gr
12	5,0 gr
14	6,0 gr
16	7,0 gr
10	9 5 ar





4,0 gr

5,0 gr

6,0 gr

7,0 gr 8,0 gr





#### <u> ProCarbon</u>

### Waggler

Code: 1084

Professional waggler float, offering unique solutions for competitive and hobby angling as well. The float has a tapered carbon stem, a polyurethane body and tungsten discs.

A rotary part with a bearing is built into the lead head, which brakes, bends when it falls. The calibration solution developed by Cralusso allows for the quickest and most sensitive antenna setting to adjust with as little as 0.01 gramm.

1 year warranty!

Size gr	Changeable weight
8	1 gr
10	2 gr
12	3 gr
14	4 gr
16	5 qr

PUR

Strenghtened pillow swivel builted-in the lead head

# **Wolfral**Match

Code: 1085

We have been ecstatic over the success of the Arrow waggler but we never rest and have achieved even further improvement for this year. In addition to the already successful developments

0 2 3 4

we are now using a weight system that is twice as heavy as brass.

This lead/tungsten combination disc system together with the new aerodynamically refined body has created an even better flight, operation and precision in use.
The antenna system consists

The antenna system consists of over 20 versions with varying diameters, lengths and colours available. New to this range are the 'air antenna' - a clever highly visible tube and a very sensitive solid option.

Size gr	Changeable weight
8	2,5 gr
10	4,5 gr
12	6,5 gr
14	8,5 gr
16	10,5 gr
18	8,0 gr
20	10,0 gr

**Tip:** With the help of the unique calibration system you can speed up the float setting process and also achieve very precise setting of the antenna.

Strenghtened pillow swivel builted-in the lead head

New antenna with helium

The new combination of lead and tungsten weight discs has a high specific gravity and is therefore only half the volume of brass.







Code: 1087



Professional waggler float with calibration system, new body shape, made using tungsten & helium!

Code: 1086

Our newest innovation, the HELIO waggler float incorporates the best of our knowledge. We used materials with the most optimal density, this means that the lead head, the tungsten discs and the helium-filled float body and shank provided the possibility to build an ideal float, which

- has the best flying capabilities;
- can be set to the highest sensitivity
- can be weighted in the shortest time
- has a stem that does not bend even on higher temperatures
- resists damage
- can hold over 30 types of antennas

7 2 6		
re filled with heli be extended	Size gr	Changeable weight
£ % &	8	2,5 gr
6 6	10	4,5 gr
<i>2</i> 000	12	6,5 gr
\$	14	8,5 gr
	16	10,5 gr
18	18	8,5 gr
13 H	20	10,5 gr
13 13	25	10,0 gr
13 H	30	15,0 gr
dissing dissing	PUR	New antenna, with helium
6)	Lead - weight	tungsten combined system

The new combination of lead and tungsten weight discs has a high specific gravity and is therefore only half the volume of brass. Heeding the requests of the anglers, we added to our offer this easy to use, easy to throw Slider float, which satisfies the highest demands of the hobby and sport anglers. The 3.0 gr net weight of the special slider head and the design of the PUR body give excellent flying capabilities to the float. It is mainly recommended for deep water and lakes with strong currents, when the bait needs to be sunken to the vicinity of the lakebed quickly and in a stable way.

- Simple, precise usage
- Fastest antenna and sensitivity adjustment with the help of the calibration system.
- Versatile variability for weighting
- Replaceable solid and air-filled antennas

Sizes
3 + 8,0 gr
3 + 10,0 gr
3 + 12,0 gr
3 + 14,0 gr
3 + 16,0 gr
3 + 18,0 gr

**Tip:** The new waggler stem set (Item: 2034), increase the capacity and variability of the float. The different length of stems (250-330), can be accelerate the balance, furthermore increase the distance of flight.

Sizes: 8-10-12-14-16-18 qr



# Sensitive Code: 1010





Code: 1082




#### Variable antenna 2 pcs

Type	Distance of Casting Changeable weight					
<b>Velence</b> 5-11 gr	35-60 m	1,0-2,5 gr				
<b>Rocket</b> 6-20 gr	40-85 m	2,0-3,5 gr				
Rocket light 1,5-8 gr	20-60 m	+ 1,0 gr				
<b>Dart</b> 6-20 gr	35-65 m	2,5-5,5 gr				
<b>Sensitive</b> 5-11 gr	35-55 m	1,5-3,0 gr				
<b>Ufo</b> 6-20 gr	30-50 m	2,5-5,5 gr				

The advantage of these floats is the excellent sensitivity! The Velence and the Sensitive incorporate all of Cralusso's new technical solutions



Size gr	Changeable weight
6	1,5 gr
8	2,5 gr
10	3,0 gr
12	4,0 gr
14	5,0 gr
16	6,0 gr



Variable/removable weights in the body of the float

Strenghtened pillow swivel builted-in the lead head





#### Pellet

This near indestructible float has been made for the ever more popular method of pellet waggler fishing. Being short it can be used successfully when fishing shallow and presenting baits deeper is no problem. You can fish precisely with different sizes and PUR weights of pellet by making adjustments to the capacity of the float using the calibration system.

## Multicolor waggler

Code: 1011

Code: 1013 **NEW** 





## Unweighted slider floats

Code: 1029



Code: 1030



Sizes:


# 3-4-5-6-8 qr



#### Rocket Pellet


Code: 1012 This float incorporates all the advantages of the pellet float but also utilises the rocket system. Normal pellet wagglers are hampered in flight because the float is trying to tow a big bait. Aerodynamics, distance and accuracy are therefore adversely affected. The Rocket Pellet overcomes PUR all these problems and is the perfect solution – even with heavy reel lines it can cast long distances and is very accurate.

Sizes: S - M - L



Size gr	Changeable weight
8	2 gr
10	2 gr
12	2 gr
14	2 gr






## **New Carp floats**


# Unweighted carp floats with PUR body

Carp floats with fix weight

Code: 1090 Code: 1095

Heavy-duty fishing floats with pur body, developed to carp fishing





### Winner of US Open Championships in 2007

When we were creating the traditional type of tear drop floats it was our intention, as is always the company policy, to place the emphasis on making each model easy to use, infinitely variable and long lasting. The design allows all of the components, including the bristles, to be freely interchanged thus allowing numerous combinations to be achieved. The floats are available a near transparent fibre

glass stem that is less visible in water.








The special dimpled surface of this Golf float, which reduces water tension affects, makes it an ideal choice for use on rivers, moving canals and choppy lakes.

Sizes: 1 - 1.5 - 2 - 3 - 4 5 - 6 - 8 Universal shape which is ideal for both rivers and still waters. The protective plastic tube through the float is very hard wearing and makes the float virtually indestructible highly recommended when fishing for carp on the pole.


Sizes: 0,5 - 0,75 - 1 1.5 - 2 - 3 - 4 - 5 - 6 This body shape allows for more sensitive presentation even more so if you use the 1 mm carbon or glass stem as the bristle. Also incredibly strong, however, and will handle big fish well.

Sizes: 0,2 - 0,3 - 0,5 - 0,75 - 1 1.5 - 2 - 3 - 4 - 5 - 6

They are well constructed and very strong. Bristles are interchangeable so you can make rigs that perform well for delicate presentation or dealing with big weights of fish.



Components of the tear drop floats are all interchangeable and they can be assembled in a number of ways to suit your own requirements only your imagination could limit the number of variations.




Recommended float adaptors:

2007










	1 1 1				
Code	Weight gr	Antenna	Stem	Body mat.	Pcs/bag
1041	1-1,5-2-3-4-5-6	plastic	fibre glass	balsa	5
1042	0,5-0,75-1-2-3-4-5	plastic	fibre glass	balsa	5
1043	0,5-0,75-1-1,5-2-3	plastic	fibre glass	balsa	5
1044	0,5-0,75-1-1,5-2-3	fibre glass	fibre glass	balsa	5
1045	0,4-0,5-0,75-0,8-1-1,25-1,5-2-2,5-3	hollow	carbon	balsa	5
1046	0,6-0,8-1-1,5-2	hollow	carbon	balsa	5
1047	0,6-0,8-1-1,25-1,5-2	fibre glass	carbon	balsa	5
1048	0,4-0,6-0,8-1-1,25	fibre glass	carbon	balsa	5



Code	Weight gr	Antenna	Stem	Body mat.	Pcs/bag
1060	1-2-3-4-5-6-8	balsa	fibre glass	balsa	5
1061	0,2-0,4-0,6-0,8-1-1,5-2-3-4-5-6-8	balsa	fibre glass	balsa	5
1062	0,6-1-1,5-2	balsa	steel	balsa	5
1063	0,5-0,75-1-1,5-2-3	balsa	fibre glass	balsa	5
1064	1-2-3	balsa	fixed in one point	balsa	5
1065	0,6-1-1,25-1,5	balsa	fixed in one point	balsa	5

# CRALUSS S

## Balsa float with changeable star light antenna



5

5


5

balsa

balsa

balsa





plastic

plastic

plastic

fibre glass

fibre glass

fibre glass

1-1,5-2-2,5-3-4-5-6-8-10


1-2-3-4-5-6

2-3-4-5-6-8

1206

1207

1208







2019 Flat antennas (9 pcs/bag)



2021 Wolfram tuning lamellas (3×11mm 7pcs/bag)

2022 Wolfram tuning lamellas (3×13mm 7pcs/bag)





#### Waggler attachment Light Code: 2005 (Fixed)

A sure and safe float fixing that allows quick changes. Tangles and knots are reduced because of the built in big load bearing swivel. The attach-ment is very light as carbon is used in the manufacture.

We offer the small Waggler attachment for 8-10 gr floats, and the medium attachment for floats above 10 gr.

Size	Code	Weight	Pcs/bag
Small	2005	0,22 gr	3 pcs
Medium	2005	0,35 gr	3 pcs

#### Anti tangle waggler attachment (Fixed)

Cralusso's own development! The success of the anti-tangle waggler attachment lies in the asymmetric design which allows the device to keep the line away from the float and so greatly reduce the possibility of tangles and knots.

> The short stem faces toward the rod.

The long stem faces toward the hook

How to use this attachment?



Size	Code	Weight	Pcs/bag
Small	2006	0,30 gr	3 pcs
Medium	2006	0,45 gr	3 pcs

#### Metal waggler snap

Code: 2035

Float fixer with ball bearing swivel, withstands the highest loads

Weight	Pcs/bag
0,30 gr	2 db





Adjustable float-holding roll

2032 S

2032 M



Hook tyer system 2033



S - 8-25 cm 76 pcs L - 20-50 cm 76 pcs 203

Baiting needle set

Needle disgorger





Antibacterial spray

2059



Colour antenna label

2050



Line marker

2054



2057



Line's sinking spray 2058







Silicon tubes 2009



Silicon tubes mixed 2009-mix



Size	Weight
0,5 mm	0,1 gr
0,7 mm	0,1 gr
0,9 mm	0,1 gr



CRALUSSO

Float adaptors For tear drop floats 2007

Pcs/bag


4 pcs

4 pcs 4 pcs



www.cralusso.com

Float fixing set 2014-mix



Pellet ring 2015 Sizes: S-M-L



Anti-tangle soft tube 2017 0,5×1,8 - 0,8×1,9 - 1,0×2,1 mm




Bait holder 2025 Sizes: S-L



Flare rubber thorn 2012-mix



Boilie stopper 2027



Pellet stopper kit 2026 Hard



Silicon fastened bait sting 2030 S 7mm - M 10mm




Metal bait spike 7-10 mm 2028 S 7 mm


M 10 mm



Plastic bait spike 2029 S 5-7 mm M 10-13 mm









"PRESTIGE" fishing line – as the name implies, this range will satisfy the highest demands of the modern angler. We believe different disciplines of fishing require a line specifically designed for the purpose and that each must possess the correct properties for its intended use. As such, we have developed and tested the lines over a period of some years and are certain we are now offering a selection of the very best available at a truly competitive price.



2061



Great attention to detail has been paid to ensure this line has the optimal relationship between strength and suppleness. It is reliable, strong and resistant to twist and tangles.

Length (m)	Diameter (mm)	Breaking Strain (kg)
50	0.088	1,18
50	0,102	1,57
50	0,123	2,34
50	0,143	3,07
50	0,160	3,84
50	0,178	4,61
50	0,201	5,71
50	0,220	6,65
50	0,250	8,30



New generation hooklength line, which developed for the feeder fishing, this line has more stiff and stretch.

Length (m)	Diameter (mm)	Breaking Strain (kg)
50	0,14	2,94
50	0,16	3,65
50	0,18	4,00
50	0,20	5,41
50	0,22	6,22



As it name suggest this is a hooklength line with unique strength, what is nearly invisible in the water. Made by the most modern technologies and materials. It is extremely resistant to twist and tangles.

Length (m)	Diameter (mm)	Breaking Strain (kg)
50	0,081	1,04
50	0,102	1,65
50	0,125	2,42
50	0,145	3,18
50	0,163	3,98
50	0,183	4,77
50	0,202	5,93





2080





This braid hooklength made of the latest technology, weaving with 8 carriers, which ensure the cyclic cross-section. Due to this technology and PE fiber are ensure the precize and maximum tensile for the lines.

Lengt	:h (m)	Diameter (mm)	Breaking Strain (kg)
1	.5	0,08	3,8
1	.5	0,10	5,1
1	.5	0,12	6,3
1	.5	0,14	7,6
1	.5	0,16	9,5

# KEVLINE braid hooklength line

2081





This special angling line is made from 50% Kevlar and 50% PE fibre. Sinking design, which resists damage remarkably well, and allows use under extreme conditions.

Length (m)	Breaking Strain (kg)	Breaking Strain (lb)
10	6,8	15
10	9,1	20
10	11,3	25

# 「はらればします」 braid hooklength line

2082





This sinking braided line concentrically woven from 8 fibres has been developed to suit the needs of Feeder and Carp anglers. Thanks to its soft and strong design it can be a reliable and favoured equipment for anglers.

Length (m)	Breaking Strain (kg)	Breaking Strain (lb)
10	4,5	10
10	6,8	15
10	9,1	20

# FAST SINKING braid hooklength line

2083





We focused entirely on making this angling line sink fast, nestle to the watercourse, to be undetectable by the fish and stay at the bottom.

Length (m)	Breaking Strain (kg)	Breaking Strain (lb)
10	5,4	12
10	8,1	18
10	11,3	25









A very reliable line with high tensile strength Excellent UV and abrasion resistance with silky smooth surface Specially recommended for general use and rig making

Length (m)	Diameter (mm)	Breaking Strain (kg)	
150	0,12	2,24	
150	0,14	2,75	
150	0,16	3,46	
150	0,18	4,14	
150	0,20	5,12	
150	0,22	6,54	
150	0,25	8,19	
150	0,30	11,22	
150	0,35	15,49	

This new generation sinking line has been developed specifically for waggler fishing. It possesses qualities of high abrasion resistance and extremely low surface friction which enables easy casting and creates fast sink rates


Length (m)	Diameter (mm)	Breaking Strain (kg)
150	0,14	2,21
150	0,16	2,77
150	0,18	3,31
150	0,20	4,10
150	0,23	5,23
500	0,16	2,77
500	0,18	3,31
500	0,20	4,10
500	0,23	5,23



**QSP**SYSTEM

Unique and individual innovation made by Cralusso is the **QSP system**, which one helps to reach the optimum line filling. With this solution can avoid the multi-winding and for the reel be over or underfilled. For the **QSP system** labeled lines you can find measuring plates attached which ones support the precise loading of the reel. The QSP downloadable as an application from Google Play and App Store.

Please, measure the diameter and height of the spool!



Please apply the measurements into the calculator that you will find on our webpage!







Select the appropriate value from the indicator and wind the stated amount onto the spool!



4

When you have wound the indicated amount of line onto the reel, it should be at the optimal level!











This line is recommended for feeder fishing. It is very resilient and has a medium sink rate. The super low friction surface ensures fast movement through the water and positive contact with the fish

Length (m)	Diameter (mm)	Breaking Strain (kg)
150	0,18	4,4
150	0,20	5,5
150	0,22	6,9
150	0,25	8,6
150	0,30	11,8

A line designed to suit the high demands of Carp anglers. It has qualities of high abrasion resistance and very low surface friction that assists with long range casting and minimises damage. It also ensures fast movement through the water and positive contact with the fish

Length (m)	Diameter (mm)	Test (Kg)	Fish test (Kg)
300	0,22	4,0	7,3
300	0,25	5,1	9,5
300	0,28	6,4	11,5
300	0,30	7,2	13,0
300	0,35	10,1	16,0
1000	0,22	4,0	7,3
1000	0,25	5,1	9,5
1000	0,28	6,4	11,5
1000	0,30	7,2	13,0
1000	0,35	10,1	16,0









A reliable fishing line with high tensile strength. UV and abrasion resistant. The extraordinary smooth surface ensures effortless long range casting.

Length (m)	Diameter (mm)	Breaking Strain (kg)
150	0,18	4,4
150	0,20	5,5
150	0,22	6,9
150	0,25	8,6
150	0,30	11,8
Length (m)	Diameter (mm)	Breaking Strain (kg)
Length (m) 350	Diameter (mm) 0,18	Breaking Strain (kg) 4,4
5 ( )		
350	0,18	4,4
350 350	0,18 0,20	4,4 5,5



This low-stretch line specially developed for feeder and carp fishing.
The fluoro carbon coating guarrantee longer casting distance and faster sinking.

Length (m)	Diameter (mm)	Test (Kg)	Fish test (Kg)
150	0,18	2,8	5,1
150	0,20	3,4	6,5
150	0,22	4,0	7,3
150	0,25	5,1	9,5
150	0,30	7,2	13,0
300	0,18	2,8	5,1
300	0,20	3,4	6,5
300	0,22	4,0	7,3
300	0,25	5,1	9,5
300	0,30	7,2	13,0



This line is recommended for feeder and carp fishing. It has a medium sink rate, high abrasion resistance and very low surface friction that assists with long range casting and minimal damage.

Length (m)	Diameter (mm)	Breaking Strain (kg)
500	0,20	5,1
500	0,22	6,5
500	0,25	8,2
500	0,30	11,2







Fine-woven, quiet, moderately soft-braided fishing line with high tensile strength, wear-resistant surface and zero elongation. Thanks to its thin, special coating, it slides quietly and easily between the rings. Thus, it allows longer casts for spinning anglers even with lighter baits.

Length (m)	Diameter (mm)	Breaking Strain (kg)
100	0,10	5,8
100	0,12	6,9
100	0,15	8,7
100	0,18	11,4
100	0,20	14,2



Fluoro carbon is being nealy invisible in water and this 100% fluoro carbon exceeds all expectations. It has a low stretch and fast sinking rate.

Length (m)	Diameter (mm)	Breaking Strain (kg)
30+10	0,14	1,92
30+10	0,16	2,52
30+10	0,18	3,09
30+10	0,20	3,90
30+10	0,22	5,06
30+10	0,25	6,12
30+10	0,30	7,55
30+10	0,40	14,55
30+10	0,50	20,24







# Cralusso latest development, NAVIGATOR line family



The Navigator Match Sinking line is a world first from Cralusso. Judging distance on water is very difficult for everyone. This new generation of line provides a solution for this problem. Every 5m you will find a mark, so you can determine the distance from the color-code(every color indicates different distance) and this will assist you to fish accurately at the same distance each cast. It possesses qualities of high abrasion resistance and low surface friction, which enables effortless casting and creates fast sink rates. You will find the illustration at the bottom of the page and further information on our website.

**Cralusso's unique development of the QSP** system is utilised on this line and allows spooling up to be completed quickly, accurately and precisely. The QSP system helps to ensure the optimum amount of line is put onto the spool. You can find further information on page 30 and on the relevant webpage.

USP UK CODE
<b>国第888</b> 国
100
国的经济分

OCD OD CODE

Length (m)	Diameter (mm)	Breaking Strain (kg)
150	0,16	2,70
150	0,18	3,30
150	0,20	4,10
150	0,23	5,20

Első 20 m jelöletlen, majd 2	0 2	5 30	35	40	45	50	55	60	65	70 m	
Navigator Match											150 m



The **Navigator** Feeder fishing line provides great opportunities for both carp and feeder anglers.

Short and long range distances, features and clipping up points are easily identified and there is no problem if you use two or more rods. The line is marked every 5m and this will assist you to fish accurately at the same distance. Please look at the diagram and further information can be found on our webpage.

This line was developed in accordance with the requirements of high profile carp and feeder anglers - it is extremely strong, has a medium sink rate, possesses high tensile strength with low stretch and is an easily managed.

**THE SOLUTION:** The QSP system which is only provided by Cralusso! It will help to avoid the need for multiple attempts at filling spools accurately. You will find the description on page 30 and further information on our webpage.

QSP QR CODE
回线线回
LEUK MACAGE

Length (m)	Diameter (mm)	Breaking Strain (kg)
200	0,18	4,40
200	0,20	5,51
200	0,22	6,90
200	0,25	8,60

Első 20 m jelöletlen 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100 105 m Navigator Feeder 200 m



Recommend to the following line thicknesses:

Length (m)	Diameter (mm)	Monofil	Braided (mm)
10	0,65	0,12-0,18	0,06-0,10
10	0,80	0,18-0,25	0,10-0,16
10	1,00	0,25-0,35	0,16-0,22





Chika

2405

Flatted - Round

	J	J	7	7	7	7	
Size	18	16	15	14	12	10	8
Hooklength Line Soft & Strong	0,10	0,10-0,11	0,12	0,12	0,12-0,13	0,13-0,14	0,14
Weight (gr)	0,005	0,008	0,011	0,014	0,018	0,024	0,029
Diameter (mm)	0,28	0,33	0,36	0,39	0,43	0,46	0,48
Pcs/bag	16	16	16	16	14	14	14



Koaji Round Koaji Round Brass

2410 2411

Flatted - Round

		$\bigcirc$	$\bigcirc$	$\bigcirc$	$\cup$
Size	16	14	12	10	8
Hooklength Line Selt & Strong	0,10-0,11	0,12	0,14	0,14-0,15	0,16
Weight (gr)	0,009	0,016	0,023	0,036	0,049
Diameter (mm)	0,33	0,41	0,46	0,54	0,60
Pcs/bag	16	16	14	14	14





_					
`	nı	n	Α	1	٦

2415

Flatted - Large Forged



	$\cup$	0		
Size	11	9	7	5
Hooklength Line Selt & Strong	0,18	0,20	0,25	0,30
<b>X</b> TREME	0,10	0,12	0,16	0,18
Weight (gr)	0,045	0,066	0,094	0,14
Diameter (mm)	0,57	0,64	0,72	0,81
Pcs/bag	11	10	9	8







# Umi Tango

2420

Flatted - Forged

rtatteu – rorget	, ,					
			$\bigcup$	$\bigcup$	$\bigcup$	U
Size	16	14	12	10	8	6
Rooklength Line Soft & Strong	0,12	0,12-0,14	0,14-0,16	0,16	0,18	0,18-0,20
KTREME				0,08	0,10	0,10-0,12
Weight (gr)	0,014	0,024	0,034	0,051	0,083	0,103
Diameter (mm)	0,39	0,46	0,51	0,57	0,68	0,72
Pcs/bag	12	12	12	12	11	10





#### SB Chinu

Size

Hooklength

Weight (gr)

Diameter (mm)


TREME

Pcs/bag

2430

Double (one normal and one micro) edge point

- Flatted - Forged and Curved



9





#### Delta Chinu

2435

Triple edge point - Trust Grip - Forged and Curved

10



,
1
1

10







7



10	8	6	4	2
0,18	0,20	0,22-0,25	0,25-0,30	0,30-0,35
0,10	0,12-0,14	0,14-0,16	0,16-0,18	
0,048	0,070	0,084	0,137	0,198
0,6	0,68	0,72	0,86	0,99
8	8	8	7	6
	0,18 0,10 0,048	0,18     0,20       0,10     0,12-0,14       0,048     0,070       0,6     0,68	0,18     0,20     0,22-0,25       0,10     0,12-0,14     0,14-0,16       0,048     0,070     0,084       0,6     0,68     0,72	0,18     0,20     0,22-0,25     0,25-0,30       0,10     0,12-0,14     0,14-0,16     0,16-0,18       0,048     0,070     0,084     0,137       0,6     0,68     0,72     0,86



## Chinu W/Ring



\	\
	L
0	_

2440





		1
	Q	1
1		
1		ノ

With	PTFE	coat

Size	10	8	6	4	2
Hooklength Line Soft & Strong	0,18	0,20	0,22-0,25	0,25-0,30	0,30-0,35
XTREME	0,10	0,12-0,14	0,14-0,16	0,16-0,18	0,18
Weight (gr)	0,063	0,082	0,10	0,15	0,23
Diameter (mm)	0,6	0,68	0,72	0,86	0,99
Pcs/bag	14	14	13	12	10





The biggest fish at the 2014 world championship held in Croatia, a 4,6kg barbel was caught on the fast-flowing Drava by Arian Klop, member of the world champion Dutch team using our 2445 Chinu hook. This hook has also proven its worth many times! Made of forged Japanese steel, extremely sharp, despite its medium thick stem it is remarkably strong. A reliable companion during tiring.

Chinu 2445

**Brass** 

Size

Hooklength

TREME

Pcs/bag

Size


Hooklength Line Soft & Strong

Weight (gr)

Diameter (mm)

TREME

Pcs/bag





Maruseigo horog

With PTFE coat

14	12
0.20	0.22

0,14

0,048

0,68


11

0,12-0,14

0,031

0,6

12



0,104

0,86

10



0,156

0,99

9




0,40

0,236

1,06

8





**Gripper Carp** 

2455

0,16-0,18

0,071

0,72

11

With PTFE coat

Size	8	6	4
Recommended max.line strength	18 lb	20 lb	22 lb
Weight (gr)	0,18	0,24	0,29
Diameter (mm)	0,94	0,98	1,10
Pcs/bag	8	8	8







Boi	lie	Carp

2460

OI



Size	8	6	4
Recommended max.line strength	17 lb	24 lb	30 lb
Weight (gr)	0,092	0,145	0,224
Diameter (mm)	0,78	0,89	1,03
Pcs/bag	8	8	8



#### Anti Snag

2465

OI

#### With PTFE coat

Size	8	6	4	2
Recommended max.line strength	18 lb	23 lb	34 lb	37 lb
Weight (gr)	0,17	0,22	0,37	0,40
Diameter (mm)	0,98	1,03	1,22	1,26
Pcs/bag	8	8	8	8



OI

#### CARPower

2470


#### With PTFE coat

	J						U
Size	14	12	10	8	6	4	2
Recommended max. Monofil line	0,20	0,22	0,25	0,28	0,32	0,35	0,38
Recommended max. braided line	0,12	0,14	0,16	0,18	0,20	0,20	0,22
Weight (gr)	0,028	0,03	0,043	0,054	0,092	0,131	0,23
Diameter (mm)	0,48	0,52	0,62	0,75	0,85	0,951	1,06
Pcs/bag	12	12	12	12	12	12	10



#### **CARPmagnet Barbless**

2472







#### Zander-worm

Size

Rooklength Line Soft & Strong

Weight (gr)


Diameter (mm)

TREME

Pcs/bag

2480







# Quality swivels and accessories at a reasonable price!



Rolling swivel, black	2109				
0=0	0=0	Size	Test	Weight	Pcs/bag
	000	3/0	100 kg	1,82 gr	3 pcs
0.00	0=0	2/0 1/0	75 kg 60 kg	1,28 gr 0,90 gr	4 pcs 5 pcs
~=~	0 – 0	2	43 kg	0,53 gr	6 pcs
	O <del></del> O	4	35 kg	0,33 qr	8 pcs
0=0		6	30 kg	0,19 gr	12 pcs
0-0	O <del></del> O	8	19 kg	0,12 gr	12 pcs
~=~	0.00	10	14 kg	0,07 gr	12 pcs
~~~	<b>○</b>	12	9 kg	0,06 gr	12 pcs
Golden swivel	2110				
Evalusivo dosign		Size	Test	Weight	Pcs/bag
Exclusive design	$\circ$	3	40 kg	0,41 gr	10 pcs
$\sim \square \sim$	0=0	5	32 kg	0,25 gr	12 pcs
	000	7	22 kg	0,13 gr	12 pcs
	000	10 14	14 kg	0,07 gr	12 pcs
		14	4 kg	0,04 gr	12 pcs
Rhombus swivel	2111				
	000	Size	Test	Weight	Pcs/bag
	000	5	27 kg	0,25 gr	12 pcs
OH KO	000	7 10	19 kg	0,13 gr	12 pcs
	080	10	9 kg 6 kg	0,07 gr 0,06 gr	12 pcs 12 pcs
	000	14	4 kg	0,06 gr	12 pcs
Double swivel	2112		, va	0,0 T gi	12 pcs
Double Swivet	2112		_		- "
	0==0	Size	Test	Weight	Pcs/bag
	0000	5 7	32 kg	0,44 gr	12 pcs
	0000	10	22 kg 14 kg	0,25 gr 0,13 gr	12 pcs 12 pcs
	0000	12	8 kg	0,09 gr	12 pcs
	0000	14	4 kg	0,06 gr	12 pcs
Triple speed swivel	2113		J	. 3	·
Triple speed swivet	2113	Size	Test	Weight	Pcs/bag
	0===0	7	22 kg	0,23 qr	12 pcs
	00000	10	14 kg	0,112 gr	12 pcs
00	00000	12	8 kg	0,10 gr	12 pcs
	Ommeno	14	4 kg	0,062 gr	12 pcs
Triple chain swivel	2114				
06	A PARA	Size	Test	Weight	Pcs/bag
		7	22 kg	0,23 gr	12 pcs
		10	14 kg	0,112 gr	12 pcs
1600 1000 1000 1000	0=0=0=0	14	4 kg	0,062 gr	12 pcs
Swivel & safety snap	2115				
		Size	Test	Weight	Pcs/bag
		5	9 kg	0,40 gr	12 pcs
	094	7	7 kg	0,23 gr	12 pcs
<u> </u>	000	10	5 kg	0,14 gr	12 pcs
	0.000 <del>0.000 0.000</del> 0.000	14	3 kg	0,10 gr	12 pcs
Crane swivel with interlock snap	2116				
	000	Size	Test	Weight	Pcs/bag
	000	2	18 kg 14 kg	0,52 gr	10 pcs
	000	4 6	14 kg 12 kg	0,38 gr 0,26 gr	12 pcs 12 pcs
	000	8	10 kg	0,16 gr	12 pcs
	000	10	9 kg	0,12 gr	12 pcs
Double rolling swievel with	2150				
		Size	Tost	Woight	Des /hag
interlock snap		6	Test 12 kg	Weight 0,43 gr	Pcs/bag 6 pcs
	)	8	10 kg	0,43 gr	6 pcs
	0000	10	10 kg	0,20 gr	6 pcs
	0000	12	7 kg	0,15 gr	6 pcs



# Quality swivels and accessories at a reasonable price!

Size	Swivel with heaked span	2117				
Swing coastlock snap   2118	Swivet with Hooked shap		Size	Test	Weight	Pcs/bag
To   12 kg   0,13 gr   12 p   14   4 kg   0,06 gr   12 p   15 kg   0,13 gr   12 p   15 kg   0,25 gr   6 p   12 kg   0,25 gr   6 p   13 kg   0,52 gr   6 p   14   18 kg   0,52 gr   6 p   14   18 kg   0,52 gr   6 p   14   18 kg   0,52 gr   6 p   15 kg   0,60 gr   6 p   16   18 kg   0,52 gr   12 p   10   14 kg   0,12 gr   12 p   12 p   10   14 kg   0,12 gr   12 p   12 p   10   14 kg   0,12 gr   12 p   12 p   12 p   10   14 kg   0,12 gr   12 p   12 p   12 p   13 p   13 p   13 p   14 p   14 p   14 p   14 p   14 p   15 kg   0,56 gr   6 p   6 p   13 gr   6 p   15 p   16 p   15 p   10 p   12 p   12 p   12 p   10 p   12 p	_	000000				12 pcs
Ball bearing swivel with snap  2118    Size   Test   Weight   Pcs/lag		000				12 pcs
Size   Test   Weight   Pcs/log		00000	10	12 kg	0,13 gr	12 pcs
Size		00000	14	4 kg	0,06 gr	12 pcs
Size	Ball bearing swivel with snap	2118				
1	3 · · · · · · · · · · · · · · · · · · ·		Size	Test	Weight	Pcs/bag
1			0	12 kg		6 pcs
Swing coastlock snap  2119    Size   Test   Weight   Pcs/log   Pcs/log   Pcs/log			1	18 kg	0,52 gr	6 pcs
Swing coastlock snap   2119   Size   Test   Weight   Pcs/6   6   30 kg   0.32 gr   12 p   12   9 kg   0.08 gr   12 p   12   9 kg   0.08 gr   12 p   12   9 kg   0.08 gr   12 p   12   12   9 kg   0.08 gr   12 p   12   12   9 kg   0.08 gr   12 p   12   12   9 kg   0.08 gr   12 p   12 p   12   12   9 kg   0.08 gr   12 p   12	0-0	060	2	25 kg	0,76 gr	6 pcs
Size   Test   Weight   Pcs/Dag   12 p   10   14 kg   0,12 gr   12 p   12 p   10   14 kg   0,12 gr   12 p   13 p   12 p   14 p   14 p   14 p   14 p   15 p	·	000	4	35 kg	1,60 gr	6 pcs
Size   Test   Weight   Pcs/Dag   12 p   10   14 kg   0,12 gr   12 p   12 p   10   14 kg   0,12 gr   12 p   13 p   12 p   12 p   14 kg   0,12 gr   12 p   12 p   12 p   12 p   12 p   13 p   14 kg   0,12 gr   12 p   13 p   13 p   14 kg   0,18 gr   6 p   6 q   30 kg   0,32 gr   6 p   6 q   30 kg   0,32 gr   6 p   6 q   30 kg   0,18 gr   6 p   6 q   30 kg   0,18 gr   6 p   6 q   30 kg   0,18 gr   6 p   6 q   30 kg   3 p   3 p   5 q   3 p   5 q   3 p   5 q   3 p   5 q   3 p   5 q   3 p   5 q   3 p   5 q   3 p   5 q   3 p   5 q   3 p   5 q   3 p   3 p   5 q   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3 p   3	Swing coastlock snap	2119				
6 30 kg 0.32 gr 12 p 8 19 kg 0.20 gr 12 p 10 14 kg 0.12 gr 12 p 11 12 9 kg 0.08 gr 12 p 12 9 kg 0.08 gr 12 p 12 9 kg 0.08 gr 12 p 13 10 14 kg 0.12 gr 12 p 14 kg 0.12 gr 12 p 15 p kg 0.08 gr 12 p 16 p kg 0.08 gr 6 p 17 p kg 0.38 gr 6 p 18 19 kg 0.38 gr 6 p 19 kg 0.38 gr 6 p 10 0.32 gr 6 p 10 0.32 gr 6 p 10 0.32 gr 6 p 10 0.57 gr 3 pcs 10 0.57 gr 6 pcs 11 55 kg 1.06 gr 10 p 12 p cs/bag 1.84 gr 6 p 13 40 kg 0.67 gr 10 p 15 30 kg 0.43 gr 12 p 16 p cs/bag 1.58 kg 0.67 gr 10 p 17 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/bag 1.58 kg 0.67 gr 10 p 18 p cs/	<b>3</b>	0	Size	Test	Weight	Pcs/bag
Side-line rolling swivel   2120   Size	^ -·					12 pcs
10		<b>○</b>	8			12 pcs
Side-line rolling swivel   2120   Size   Test   Weight   Pcs/lag   Corner plate swivel   2121   Size   Weight   Pcs/lag   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G p   G		0=	10			12 pcs
Size		<del>~</del>	12	9 kg	0,08 gr	12 pcs
Size	Side-line rolling swivel	2120				
2		00.000	Size	Test	Weight	Pcs/bag
Corner plate swivel   2121   Size   Weight   Pcs/bag   S   0,15 gr   6 pcs		0	2	43 kg		6 pcs
Corner plate swivel   2121   Size   Weight   Pcs/bag		0	4			6 pcs
Size   Weight   Pcs/bag   6   1,3 gr   3 pcs   8   0,94 gr   3 pcs   10   0,57 gr   6 pcs   M   0,26 gr   6 pcs   M   0,26 gr   6 pcs   M   0,23 gr   6 pcs   M   0,24 gr   12 pcs   10   10 kg   0,43 gr   12 pcs   10   10 kg   0,14 gr   10 pcs   10		0-0-450	6	30 kg	0,32 gr	6 pcs
Size   Weight   Pcs/bag   3 pcs   3 pcs   8   0,94 gr   3 pcs   10   0,57 gr   6 pcs   M   0,26 gr   6 pcs   M   0,26 gr   6 pcs   M   0,23 gr   6 pcs   M   0,24 gr   12 pcs   10		0-0-493	8	19 kg	0,18 gr	6 pcs
Size   Weight   Pcs/bag   3 pcs   3 pcs   8   0,94 gr   3 pcs   10   0,57 gr   6 pcs   M   0,26 gr   6 pcs   M   0,26 gr   6 pcs   M   0,28 gr   6 pcs   M   0,23 gr   6 pcs   M   0,24 gr   12 pcs   10	Corner plate swivel	2121				
Brass Head Safety Snap   2122   Size   Weight   Pcs/bag   S   0,17 gr   6 pcs	· ·	0	Size	Weight	Pcs/bag	
Brass Head Safety Snap   2122   Size   Weight   Pcs/bag   S   0,17 gr   6 pcs   M   0,26 gr   6 pcs   M   0,26 gr   6 pcs   S   0,15 gr   6 pcs   S   0,15 gr   6 pcs   M   0,23 gr   6 pcs   M   0,24 gr   1,25 gr   1,06 gr   10 production   1	/	Ď.	6	1,3 gr	3 pcs	
Size   Weight   Pcs/bag   S   0,17 gr   6 pcs   M   0,26 gr   6 pcs   M   0,26 gr   6 pcs   S   0,15 gr   6 pcs   M   0,23 gr   6 pcs   S   0,15 gr   6 pcs   M   0,23 gr   6 pcs   M   0,24 gr   12 pcs   M   0,24 gr			8	0,94 gr	3 pcs	
Size   Weight   Pcs/bag   S   0,17 gr   6 pcs   M   0,26 gr   6 pcs   M   0,26 gr   6 pcs	- Some	8	10	0,57 gr	3 pcs	
Size   Weight   Pcs/bag   S   0,17 gr   6 pcs   M   0,26 gr   6 pcs   M   0,26 gr   6 pcs		1				
Size   Weight   Pcs/bag   S   0,17 gr   6 pcs   M   0,26 gr   6 pcs	Brass Head Safety Snap	2122				
S		AVXV	Size	Weight	Pcs/bag	
M   0,26 gr   6 pcs						
Size   Weight   Pcs/bag   S   O,15 gr   6 pcs   M   O,23 gr   O pcs		O				
Size   Weight   Pcs/bag   S   0,15 gr   6 pcs   M   0,23 gr   6 pcs		0400		7		
Self-lock rotating snap  2124  Size  Test  Weight  Pcs/N  4/0  90 kg  3,50 gr  4 pr  2/0  70 kg  1,84 gr  6 pc  1  55 kg  1,06 gr  10 p  3 40 kg  0,67 gr  10 p  5 30 kg  0,24 gr  12 p  10 10 kg  Noked snap  2125  Size  Test  Weight  Pcs/N  Pcs/N  Fixe  Size  Test  Weight  Pcs/N	Plastic head swivel with interlock	snap 2123	6:		D (1	
M   0,23 gr   6 pcs		( O				
Self-lock rotating snap         2124         Size   Test   Weight   Pcs/li         Pcs/li           4/0         90 kg   3,50 gr   4 pr         4 pr           2/0         70 kg   1,84 gr   6 pr         6 pr           1         55 kg   1,06 gr   10 pr           3         40 kg   0,67 gr   10 pr           5         30 kg   0,43 gr   12 pr           7         15 kg   0,24 gr   12 pr           10         10 kg   0,14 gr   12 pr           Hooked snap         Size   Test   Weight   Pcs/li						
4/0 90 kg 3,50 gr 4 pr 2/0 70 kg 1,84 gr 6 pr 1 55 kg 1,06 gr 10 pr 3 40 kg 0,67 gr 10 pr 5 30 kg 0,43 gr 12 pr 7 15 kg 0,24 gr 12 pr 10 10 kg 0,14 gr 12 pr			IγI	0,23 gr	o pcs	
4/0 90 kg 3,50 gr 4 pr 2/0 70 kg 1,84 gr 6 pr 1 55 kg 1,06 gr 10 pr 3 40 kg 0,67 gr 10 pr 5 30 kg 0,43 gr 12 pr 7 15 kg 0,24 gr 12 pr 10 10 kg 0,14 gr 12 pr	Self-lock rotating snan	212/	Size	Test	Weight	Pcs/bag
2/0 70 kg 1,84 gr 6 pr 1 55 kg 1,06 gr 10 pr 3 40 kg 0,67 gr 10 pr 5 30 kg 0,43 gr 12 pr 7 15 kg 0,24 gr 12 pr 10 10 kg 0,14 gr 12 pr Hooked snap 2125 Size Test Weight Pcs/k	Jen-tock rotating snap	L1L4				4 pcs
1 55 kg 1,06 gr 10 p 3 40 kg 0,67 gr 10 p 5 30 kg 0,43 gr 12 p 7 15 kg 0,24 gr 12 p 10 10 kg 0,14 gr 12 p						6 pcs
3 40 kg 0,67 gr 10 p 5 30 kg 0,43 gr 12 p 7 15 kg 0,24 gr 12 p 10 10 kg 0,14 gr 12 p  Hooked snap 2125 Size Test Weight Pcs/k						10 pcs
5 30 kg 0,43 gr 12 p 7 15 kg 0,24 gr 12 p 10 10 kg 0,14 gr 12 p Hooked snap 2125 Size Test Weight Pcs/k	<u> </u>	000	3	40 kg		10 pcs
7 15 kg 0,24 gr 12 p 10 10 kg 0,14 gr 12 p Hooked snap 2125 Size Test Weight Pcs/h			5	30 kg	0,43 gr	12 pcs
Hooked snan 2125 Size Test Weight Pcs/h			7	15 kg	0,24 gr	12 pcs
			10	10 kg		12 pcs
	Hooked span	2125	Size	Test	Weiaht	Pcs/bag
0.03 ul 12 l	Hookeu shap	2123	00	9 kg	0,03 gr	12 pcs
						12 pcs
	~ 11 ~	2~0				12 pcs
	( ) «	5				12 pcs
	~	(ID)				12 pcs

### Quality swivels and accessories at a reasonable price!

2128



Rolling swivel with nice snap	2127
	0=0-
	0=0-
	000
	000
	000:

Size	Test	Weight	Pcs/bag
4/0	70 kg	2,05 gr	4 pcs
2/0	44 kg	1,45 gr	6 pcs
1	38 kg	0,92 gr	10 pcs
3	33 kg	0,68 gr	12 pcs
5	27 kg	0,44 gr	12 pcs
7	20 kg	0,27 gr	12 pcs
10	12 kg	0,13 gr	12 pcs

O=> O=		
	Size	Pcs/bag
00	6	6 pcs
0	8	6 pcs
_		

Quick snap with fixing tube













### Quality swivels and accessories at a reasonable price!

#### Match Quick snap

2132



Ci	Dec/hee
Size	Pcs/bag
8	6 pcs
10	6 pcs
12	6 pcs
14	6 pcs



Rolling quick snap

2134





Size	Test	Weight	Pcs/bag
8	9 kg	0,16 gr	6 db
10	7 kg	0,1 gr	6 db
12	5 kg	0,06 gr	6 db
14	3 kg	0,04 gr	6 db

Feeder quick snap

2133





Soft beads

2141

1,2×6mm 8 pcs/bag



Method power quick snap

2137

Most powerful method snap



Size	Test	Weight	Pcs/bag
8	9 kg	0,36 gr	6 db

#### Swivel with side line clip

2135






Size	Test	Weight	Pcs/bag
6	22 kg	0,32 gr	12 pcs
8	14 kg	0,20 gr	12 pcs
10	9 kg	0,12 gr	12 pcs
12	4 kg	0,08 gr	12 pcs

Double quick snap swivel

2136



Size	Test	Weight	Pcs/bag
8	9 kg	0,24 gr	6 db
10	7 kg	0,15 gr	6 db
12	5 kg	0,1 gr	6 db
14	3 kg	0,06 gr	6 db

#### Not-A-Knot swivel

2146



S 12 kg 6 pcs/bag L 25 kg 6 pcs/bag XXL 40 kg 6 pcs/bag

#### Maggot clips

2145


11×14×0,5 mm

6 pcs/bag





### Distance holders, Fixing wedges





### Pop up, Fluo mini boilie

Code	Size	Weight	Flavor
coue	Size	weight	FLAVUI
2660	10 mm	40 gr	Fluo vanilla
2665	10 mm	40 gr	Fluo pineapple
2670	10 mm	40 gr	Fluo scopex
2677	12 mm	40 gr	Fluo vanilla
2678	12 mm	40 gr	Fluo pineapple
2679	12 mm	40 gr	Fluo scopex





### Pop up white mini boilie

Code	Size	Weight	Flavor
2680	8 mm	20 gr	Garlic
2685	8 mm	20 gr	N-Butyric acid
2690	12 mm	40 gr	Garlic
2695	12 mm	40 gr	N-Butyric acid



#### Ready to go mini boilie




No need to bother anymore with mounting, just hang up the balanced hooklength into the method snap from the box. The hook and the bait size, thickness of hooklength and balance lead harmonize with each other what is one of the main part of successful fishing. Contains one prepared hooklength per box.





### Hook bait and pellets





### GELASTIC CORN

red

Code

2800

2805

2810

2815

#### Soft POP UP



### -FISHING-MASTER

#### Aroma spray

Code	Flavor	L. measure
2850	Fluo pineapple	50 ml
2855	Strawberry	50 ml
2860	Plum	50 ml
2865	Garlic	50 ml
2870	Pepper sausage	50 ml
2875	Squid, octopus	50 ml



Flavor

vanilla flavor in syrup

honey flavor in syrup

strawberry flavor in syrup

pineapple flavor in syrup

Pcs/bag

10 pcs

10 pcs

10 pcs

10 pcs

### -FISHING-MASTER

Method gel

Manusso (

Code	Flavor	Weight
2880	Fluo pineapple	100 gr
2881	Strawberry	100 gr
2882	Caramel	100 gr
2883	Garlic	100 gr
2884	Fluo squid octopus	100 gr
2885	Cheese	100 gr





Galusso (

CELLUSSO

alliaus Activator

RACIIvator

600

				`
Code	Size	Weight	Effervesence	Flavor
2820	9 mm	100 gr	5 min	Pineapple+Plankton
2821	9 mm	100 gr	5 min	Competition Plankton & Bloodworm
2825	12 mm	100 gr	5 min	Strawberry
2830	12 mm	100 gr	10 min	Scopex
2831	12 mm	100 gr	5 min	Sweet Corn
2835	12 mm	100 gr	10 min	Garlic
2840	20 mm	100 gr	10 min	Big Fish Secret Salmon Krill
2841	20 mm	100 gr	10 min	Mussel

DERVISE

Activator 000



Activator

CHALUSSO

CRALUSSO

Descusso


Activate


Activator e


CRALUSS



### **Tripod**







Code

3210-20

3210-25

3210-30

3210-40

3210-50



Pcs/bag

2 pcs

2 pcs

2 pcs

2 pcs

2 pcs

#### Method basket plated

(packing bag)





3210

3205

P	Code	Weight	Pcs/bag
/	3205-20	20 gr	2 pcs
	3205-25	25 gr	2 pcs
	3205-30	30 gr	2 pcs
	3205-40	40 gr	2 pcs

Weight

20 gr

25 gr

30 gr

40 gr

50 gr

#### Method basket stemed

(packing bag)





Eco method basket set

3250

Set:

EXC method feeder 20 g - 1 pcs

EXC method feeder 30 g - 1 pcs

EXC method modul - 1 pcs

Rolling swivel 10 - 2 pcs

Method basket charger

3215

1 pcs/bag (packing bag)





Aerowinged basket

3280

(packing bag)





		×
Code	Weight	Pcs/bag
3280-20	20 gr	2 pcs
3280-30	30 gr	2 pcs
3280-40	40 gr	2 pcs

Vario feeder 2 in 1 basket

3290

2 pcs/bag



Code	Weight	Pcs/bag
3290-20	20 gr	2 pcs
3290-30	30 gr	2 pcs
3290-40	40 gr	2 pcs





### Pop-up feeder basket




3295 Pop-up feeder basket adjustable




3296




The pop-up feeder basket weighs only 2 grams. Filled with feed, it sinks to the bottom and stays there until much of the feed is dissolved. Thereafter, its light buoyancy brings it slowly towards the surface, 'scanning' through the entire water column. Takes may be expected in multiple phases, either in midwater, with the bait sinking slowly together with the basket, or lying on the bottom, but often it is the bait rising up to midwater that triggers an intensive take. The speed of sinking or rising can be controlled thanks to the adjustable design.





#### New generation method baskets and fillers

A unique innovation: patented Cralusso method baskets with longitudinal ribs. Thanks to its special design the hook is less likely to become attached to the longitudinal ribs and it perfectly retains the feed as long as necessary and quickly releases it in the water. With its centre of gravity close to its front end it is particularly suitable for long and accurate throws. You can replace your feeder basket with one of a different size simply and quickly, without having to take apart your tackle.



#### Sensitive method basket







Code	Weight	Pcs/bag
3300-25	25 gr Lead free	1 pcs
3300-30	30 gr Lead free	1 pcs
3300-40	40 gr Lead free	1 pcs
3300-50	50 gr	1 pcs
3300-70	70 gr	1 pcs

#### Rocket method basket



3305



1	

Code	Weight	Pcs/bag
3305-25	25 gr Lead free	1 pcs
3305-30	30 gr Lead free	1 pcs
3305-40	40 gr Lead free	1 pcs
3305-50	50 gr	1 pcs
3305-70	70 gr	1 pcs

# DOUBLE CHANCE method, a unique Innovation for catching more fish!




Duble Chance Method basket

NEW 3315



Kód	Súly	Db/csomag
3315-25	25 gr Lead free	1 db
3315-30	30 gr Lead free	1 db
3315-40	40 gr Lead free	1 db
3315-50	50 gr	1 db
3315-70	70 gr	1 db


The Double Chance Method basket is Cralusso's latest, unique development. Use the newly developed basket for even more successful fishing! Two baits, of different flavours and buoyancies can be presented simultaneously to find the day's winner bait. When you pull out your rig after an unfinished or a missed take and check the hooklength (long one, see the drawing), you'll see which bait attracted the fish. While playing a hooked fish the other hook safely retracts into the basket tube – to keep the fish from being harmed and avoid getting the hook caught in rocks or vegetation in the water.




Assembling










SHELL Method mould







Cralusso's newly developed feeder basket filler of a universal size, provides quick and easy filling of your feeder basket. Thanks its design there's no need for pressing, the feed won't get stuck in it. Simply open the moulding tool off the filled basket. SHELL Method mould suitable for use with method baskets from multiple manufacturers.











### Method packages

#### Sensitive package



3360



Rocket package



3365



Code	Weight	Pcs/bag
3365-25	25 gr Lead free	2 pcs
3365-30	30 gr Lead free	2 pcs
3365-40	40 gr Lead free	2 pcs
3365-50	50 gr	2 pcs
3365-70	70 gr	2 pcs

Code	Weight	Pcs/bag
3360-25	25 gr Lead free	2 pcs
3360-30	30 gr Lead free	2 pcs
3360-40	40 gr Lead free	2 pcs
3360-50	50 gr	2 pcs
3360-70	70 gr	2 pcs

Double Chance Method basket package



3375



Code	Weight	Pcs/bag
3375-25	25 gr Lead free	2 pcs
3375-30	30 gr Lead free	2 pcs
3375-40	40 gr Lead free	2 pcs
3375-50	50 gr	2 pcs
3375-70	70 gr	2 pcs



### Method set

#### Sensitive set





Rocket set



3405



Code	Weight	Pcs/bag
3405-25	25 gr Lead free	2+1 pcs
3405-30	30 gr Lead free	2+1 pcs
3405-40	40 gr Lead free	2+1 pcs
3405-50	50 gr	2+1 pcs
3405-70	70 gr	2+1 pcs

Code	Weight	Pcs/bag
3400-25	25 gr Lead free	2+1 pcs
3400-30	30 gr Lead free	2+1 pcs
3400-40	40 gr Lead free	2+1 pcs
3400-50	50 gr	2+1 pcs
3400-70	70 gr	2+1 pcs

**Double Chance Method** basket set





Code	Weight	Pcs/bag
3410-25	25 gr Lead free	2+1 pcs
3410-30	30 gr Lead free	2+1 pcs
3410-40	40 gr Lead free	2+1 pcs
3410-50	50 gr	2+1 pcs
3410-70	70 gr	2+1 pcs





#### Flat feeder basket

3005



Code	Weight	Pcs/bag
3005-20	20 gr	2 pcs
3005-30	30 gr	2 pcs
3005-50	50 gr	2 pcs
3005-70	70 gr	2 pcs

Flat/spring feeder basket with anti tangle tube

3006



Code	Weight	Pcs/bag
3006-14	14 gr	2 pcs
3006-20	20 gr	2 pcs
3006-30	30 gr	2 pcs
3006-50	50 gr	2 pcs

### Round weight feeder

3011



Code	Weight	Pcs/bag
3011-25	25 gr	2 pcs
3011-35	35 gr	2 pcs
3011-45	45 gr	2 pcs

#### Long cast feeder basket

3012



Code	Weight	Pcs/bag
3012-25	25 gr	2 pcs
3012-35	35 gr	2 pcs



Ribbed feeding basket with anti tangle tube

3014

	/	=	300	
- 4		=		T
.5			7	
600	K	_	1	

Code	Weight	Pcs/bag
3014-10	10 gr	2 pcs
3014-20	20 gr	2 pcs
3014-25	25 gr	2 pcs
3014-30	30 gr	2 pcs
3014-45	45 gr	2 pcs
3014-60	60 gr	2 pcs

Pellet feeder basket

3018



Code	Weight	Pcs/bag
3018-25	25 gr	2 pcs
3018-35	35 gr	2 pcs
3018-45	45 gr	2 pcs


Rocket feeder basket

3019



Code	Weight	Pcs/bag
3019-15	15 gr	2 pcs
3019-25	25 gr	2 pcs
3019-35	35 gr	2 pcs
3019-50	50 gr	2 pcs
3019-70	70 gr	2 pcs

Special round feeder with wire loop 3020



Code	Weight	Pcs/bag
3020-XL	10 gr	2 pcs
3020-XXL	10 gr	2 pcs
3020-XXL	20 gr	2 pcs
3020-XXL	30 gr	2 pcs
3020-XXXL	10 gr	2 pcs
3020-mix	10 gr	3 pcs

River Feeder

3022



Code	Weight	Pcs/bag
3022-1	65 gr	1 pcs
3022-2	90 gr	1 pcs
3022-3	115 gr	1 pcs
3022-4	140 gr	1 pcs
3022-5	170 gr	1 pcs



### Olive weights with silicone,- two functions in one lead

If the line is threaded through the tube, the olivette can be used as a sliding weight. If fixed to the line by silicon tubes, then it can be used as changeable weight.





#### 3002



Code	Weight	Pcs/bag
3002-1	1,0 gr	5 pcs
3002-1,5	1,5 gr	5 pcs
3002-2	2,0 gr	5 pcs
3002-2,5	2,5 gr	5 pcs
3002-3	3,0 gr	5 pcs
3002-4	4,0 gr	5 pcs
3002-5	5,0 gr	5 pcs
3002-6	6,0 gr	5 pcs
3002-7	7,0 gr	5 pcs
3002-8	8,0 gr	5 pcs
3002-mix	Mixed	5 pcs

## Globular weight with central hole, precise cut and protector tube

The quality manufacture and tube makes it possible to fix perfectly centrally and without causing damage



3001



Code	Weight	Pcs/bag
3001-1	1,0 gr	5 pcs
3001-1,5	1,5 gr	5 pcs
3001-2	2,0 gr	5 pcs
3001-2,5	2,5 gr	5 pcs
3001-3	3,0 gr	5 pcs
3001-4	4,0 gr	5 pcs
3001-5	5,0 gr	5 pcs
3001-6	6,0 gr	5 pcs
3001-7	7,0 gr	5 pcs
3001-8	8,0 gr	5 pcs
3001-10	10,0 gr	4 pcs
3001-12	12,0 gr	4 pcs
3001-15	15,0 gr	4 pcs
3001-18	18,0 gr	3 pcs
3001-20	20,0 gr	3 pcs
3001-25	25,0 gr	2 pcs
3001-30	30,0 gr	2 pcs
3001-mix	Mixed	5 pcs

3001-mix



Sliding weight without lead, mix

3042

3003






Fix weight without lead, mix

3062

4 pcs/bag





Code	Weight	Pcs/bag
3003-5	5,0 gr	4 pcs
3003-10	10,0 gr	3 pcs
3003-15	15,0 gr	3 pcs
3003-20	20,0 gr	2 pcs
3003-35	35,0 gr	2 pcs

Torpillo



Medium shot set 150 gr • size 3–9 3026-M

Large shot set

3026-L

Styl lead set

3028

150 gr • size 1-7

150 gr








#### Anti tangle

Anti tangle tube with strong end 3101

Code	Size	Pcs/bag
3101-30	30 mm	3 pcs
3101-55	55 mm	3 pcs
3101-85	85 mm	3 pcs
3101-120	120 mm	3 pcs

Anti tangle tube with hooked snap 3102









Innovative Fishing Floats and Accessories

2020

# CRALUSSO, CHOICE OF THE WINNERS

Králik & Tsa. Kkt.
H-2600 Vác, Zrínyi u. 3.
Phone/fax:+36/27-304-327
e-mail:cralusso@cralusso.com



www.cralusso.com