





From the 900.000 enterprises based in Hungary Mr. Karoly Kralik was chosen, due to his domestic and international results, the creator of Cralusso float range was asked to become a Hungarian Talent Ambassador.

When I decided to launch Cralusso I knew that instead of improving on existing products I would have to set off in an entirely new direction, developing new solutions and technologies. Our revolutionary innovations, such as our ground-breaking fishing floats enabled users to win countless world, European and national championships. During the recent years and months we have been focusing on reforming feeder and method equipment. Our unrivalled models were developed with the help of cutting-edge 3D printing technology. I am sure we have made our mark – these products can help make fishing even more enjoyable and successful.

Cralusso, choice of the winners









In 2015 has reached another World Cup victory with our products. The Club's Team World Championship, which held in Zilina, the Slovakian Team take possession of first place with Cralusso floats

Main milestones:

2002: Launch Cralusso

2003: World Championship – Torpedo 2005: European Championship – Torpedo 2006: Innovation Expo, GENIUS award 2007: U.S. Open – Golf and Bubble

2008: European Championship – Torpedo

2008: U.S. Open - Shark

2008: Hungarian National Championship - Shark

2009: Best Stand award

2010: Sponsorship at Poznan World Cup

2012: Title of Hungarian Talent Ambassador

2013: Expand the NAVIGATOR line

2014: Dutch men's team – the title of world champion Hungarian team of disabled people – individual and team title of world champion Hungarian team of veterans – world champion bronze medal







2015: Best Stand award Slovakian Team won the Club Team World Championship with Torpedo floats

2018: Our company has won a research and development tender. We have established our development workshop equipped with state-of-the-art machines to provide a foundation for the innovations in the coming years.

2019: The Bosnian team that won club world championship using our Raj and Torpedo floats in Prelog, Croatia.

2022: Our innovative developments has earned EFTTEX awards.









Novelties







Big Rocket Method basket ● 51. page







45. page

Big Rocket Method Sets 52. page









CRALUSS



A new hydrodynamic form developed by Cralusso, the body does not lift out the water when held back. This float is for use on the pole and is ideal for use in medium or strong flow when you wish to present static or slow moving baits. It is so good and reliable that it has become the number one choice of flat float for anglers of all abilities including a few world champions!

Some quotations about the Torpedo:

- Alan Scotthorne: "The best flat float I've ever used" Angling Times, May 10 2005.
- Bob Nudd: "It will add a new dimension to your polefishing"

Angling Times 31 May 2005



Variable antenna 6 pcs PUR




An advanced version of the Torpedo float, which helped the Hungarian team to win gold in the 2003 World Championship. The Torpedo Tuning was also the success story of the 2005 European Championship - 80% of the contestants used our floats, including Will Raison, the individual champion.

As with the Torpedo, this float is for use on the pole and is ideal for use in medium or strong flow when you wish to present static or slow moving baits.

Sizes: 6 - 8 - 10 - 12 - 15 - 20 - 25 - 30 - 40 - 50 - 70 gr



With recommendation of Tibor Ambrus, world champion












Code: 1003





Variable antenna 1-5 gr 2 pcs Variable antenna 6-20 gr 5 pcs Waterproof polyurethane body Floats can be changed without dismantling the rig

The next step of success! József Papp won the 2008 U.S. open using a Cralusso Bubble



Functions of two floats in one 2 in 1 Code: 1004



1 You should use the first antenna position when you are holding the float back hard or even lightly.


You should use the second antenna position when you want the float running through the swim Sizes:

> 1 - 1,5 - 2 - 3 - 4 - 5 - 6 8 - 10 - 12 - 15 - 20 gr 25 - 30 - 40 - 50 gr

Shark, the brand new flat float was developed using many years of experience in float design and was in response to the demand from professional anglers. Used primarily for pole fishing the float can present baits in many ways. The antenna position can be changed according to your technique - whether this is holding back hard or running the float through the swim.

> When the current is strong or you are holding back hard use the first bristle position. When the flow is slower or you want to run the float through the swim the second bristle position is recommended.

The streamline hump on top of the float – the sharks fin - aids stability and sensitivity - even the smallest of bites can be seen clearly.



The introduction of the Shark was at the Hungarian National Championship in 2008, where Tibor Ambrus, one of the leaders of the Tubertini-MarosMix-Cralusso group won the competition using this new



CRALUSSO

Choice of the Champions



Code: 1027

This hard- wearing polyurethane disc float developed by Cralusso can take the place of tradicional balsa models, that can be damaged easily.



Sizes:

1 - 1,5 - 2 - 3 - 4 - 5 - 6 - 8 - 10 - 12 - 15 - 20 gr 25 - 30 - 40 - 50 gr The favourite float of the world championship held in Croatia in 2014, helping the Dutch team to earn the title of world champion



In this competition, Alan Scotthorne – five times individual world champion of England – and many other teams have used the innovative Cralusso floats!



Code: 1002

A special river float for use with rod and reel set ups that can be held back hard without drifting in across the flow. The direction and speed can be changed

easily offering perfect and accurate presentation. Ideal for medium and strongly currents although it can be used on still water for predator fishing when you wish to work a baitfish parallel to the bank.



Sizes:

3 - 4 - 6 - 8 - 10 - 12 - 15 - 20 gr



Sizes:

3 - 4 - 6 - 8 - 10 - 12 15 - 20 gr

A river float for use Bolognese rods and any running line set up. The design allows you to hold the float back without it drifting in across the flow. You can vary the speed of travel easily, but in sufficient flow and by holding back hard it is possible to lead the Bolo out from the bank toward features, cover or your feed line. You can effectively position the float before letting it run

through the swim.





PUI







Code: 1007


The Ufo and Dart floats utilize Cralusso's innovations, which give them their efficacy and popularity.



design.







The concept is the same as that found in the UFO waggler but in addition to the other latest developments this version incorporates a flight.










The body is made of polyurethane, which is not sensitive to surface damage. The Dart is a very versatile float, which is a suitable for both pleasure and match anglers alike.







Recommended float adaptors Waggler Attachment Light: 2005 Brass Head Safety Snap: 2122 Plastic head swivel with interlock snap: 2123

DART

Code: 1008

Thanks to the versatile and adaptable antenna system, twenty Cralusso sight tips can be used with this float. Three tips are contained in each pack.


> The removeable dart wings help the floats to the flight.



The stem of the float is made from a material that is very strong and will remain straight without becoming twisted or curved.



The calibration system helps quick, simple and accurate adjustments. with 0,05 gr graduations being







Sensitive Code: 1010

Pellet Code: 1011



This near indestructible float has been made for the ever more popular method of pellet waggler fishing.

Being short it can be used successfully when fishing shallow and presenting baits deeper is no problem.

You can fish precisely with different sizes and weights of pellet

by making adjustments to the capacity of the float using the calibration system.



Sizes: 5 - 7 - 9 - 11 gr

Variable antenna 2 pcs

Type	Distance of Casting	Changeable weight
Pro Carbon 8-16 gr	35-60 m	1,0-5,0 gr
Rocket 6-20 gr	40-85 m	2,0-3,5 gr
Helio 8-30 gr	40-75 m	2,5-15 gr
Dart 6-20 gr	35-65 m	2,5-5,5 gr
Sensitive 5-11 gr	35-55 m	1,5-3,0 gr
Ufo 6-20 gr	30-50 m	2,5-5,5 gr









Code: 1085

We have been ecstatic over the success of the Arrow waggler but we never rest and have achieved even further improvement for this year. In addition to the already successful developments

1 2 3 4 we are now using a weight system that is twice as heavy as brass.

This lead/tungsten combination disc system together with the new aerodynamically refined body has created an even better flight, operation and precision in use. The antenna system consists

of over 20 versions with varying diameters, lengths and colours available. New to this range are the 'air antenna' - a clever highly visible tube and a very sensitive solid option.

Size gr	Changeable weight
8	2,5 gr
10	4,5 gr
12	6,5 gr
14	8,5 gr
16	10,5 gr
18	8,0 gr
20	10,0 gr

Tip: With the help of the unique calibration system you can speed up the float setting process and also achieve very precise setting of the antenna.

Strenghtened pillow swivel builted-in the lead head

> New antenna with helium

<u> Pro</u>Carbon

Waggler

Code: 1084

Professional waggler float, offering unique solutions for competitive and hobby angling as well. The float has a tapered carbon stem, a polyurethane body and tungsten discs.

A rotary part with a bearing is built into the lead head, which brakes, bends when it falls. The calibration solution developed by Cralusso allows for the quickest and most sensitive antenna setting to adjust with as little as 0.01 gramm. 1 year warranty!


Size gr	Changeable weight
8	1 gr
10	2 gr
12	3 gr
14	4 gr
16	5 ar

PUR

Strenghtened pillow swivel builted-in the lead head







specific gravity and is therefore only half the volume of brass.





ProSlider

Code: 1087

Professional waggler float with calibration system, new body shape, made using tungsten & helium!

Code: 1086

Our newest innovation, the HELIO waggler float incorporates the best of our knowledge. We used materials with the most optimal density, this means that the lead head, the tungsten discs and the helium-filled float body and shank provided the possibility to build an ideal float, which

- has the best flying capabilities;
- can be set to the highest sensitivity
- can be weighted in the shortest time
- has a stem that does not bend even on higher temperatures
- resists damage
- can hold over 30 types of antennas

	Žų.		C'	Chamadala	
127	9			Changeable weight	
Attention! be ext	>		8	2,5 gr	
44			10	4,5 gr	
			12	6,5 gr	
			14	8,5 gr	
16			16	10,5 gr	
10			18	8,5 gr	
	185		20	10,5 gr	
	18	1.0	25	10,0 gr	
100	18	120	30	15,0 gr	
	d Salar	a	UR	1 1	
\$°	B	PARTOS S		1 1	Ш

The new combination of lead and tungsten weight discs has a high specific gravity and is therefore only half the volume of brass.

Heeding the requests of the anglers, we added to our offer this easy to use, easy to throw Slider float, which satisfies the highest demands of the hobby and sport anglers. The 3.0 gr net weight of the special slider head and the design of the PUR body give excellent flying capabilities to the float. It is mainly recommended for deep water and lakes with strong currents, when the bait needs to be sunken to the vicinity of the lakebed quickly and in a stable way.

- Simple, precise usage
- Fastest antenna and sensitivity adjustment with the help of the calibration system.
- Versatile variability for weighting
- Replaceable solid and air-filled antennas

Si	zes
3 +	8,0 gr
3 + 1	.0,0 gr
3 + 1	.2,0 gr
3 + 1	.4,0 gr
3 + 1	.6,0 gr
3 + 1	8 0 ar

Tip: The new waggler stem set (Item: 2034), increase the capacity and variability of the float. The different length of stems (250-330), can be accelerate the balance, furthermore increase the distance of flight.

Sizes: 8-10-12-14-16-18 gr



The aim of continuous innovation to create the best waggler float!



BREAM FLOAT

Code: 1082

waggler Code: 1040

Incorporates a removable brass disc weight system and, of course, all the usual Cralusso innovative features







The ARROW waggler ensures an aerodynamic flight, high levels of sensitivity and offers a multifunctional, easy to use float. The longer stem offers the following advantages:


- Generates extraordinary stability and distance in flight
- The body and main weight of the float sits deep in the water and it is therefore less influenced by wind and surface skim
- The long float aids the important task of getting your line deep in the water

Transportation of the long float is not difficult as the stem and body can be separated. This allows the carrying of made up rods where required with no risk of float damage.

Size gr	Changeable weight
8	3,0 gr
10	4,0 gr
12	5,0 gr
14	6,0 gr
16	7,0 gr
18	8,5 gr

















Multicolor waggler


Code: 1013

	Code: 1	1013
	Size o	r Changeable weight
	Size g	2 gr
	10	2 gr
	12	2 gr 2 gr 2 gr
	14	2 gr
	_	
	-	
	-	
1		
	-	
	ш	
broti		
186		
	· b-	
5	10-1	Brati 1 Re
131	9-	100
	191	100
	23-	5
	2	3.
		3
- K		
A		
₩		
(E	复	
(VI)	SE	₩.
60	\$6	ΣĒ
T I	ga	No.
9		
	1	
- 9		Y
	1	
1 6	100	
	Y	V V
		-

Unweighted slider floats

Code: 1029








New Carp floats

Unweighted carp floats with PUR body

Carp floats with fix weight

Code: 1090 Code: 1095

Heavy-duty fishing floats with pur body, developed to carp fishing






Winner of US Open Championships in 2007

When we were creating the traditional type of tear drop floats it was our intention, as is always the company policy, to place the emphasis on making each model easy to use, infinitely variable and long lasting. The design allows all of the components, including the bristles, to be freely interchanged thus allowing numerous combinations to be achieved.

The floats are available a near transparent fibre













The special dimpled surface of this Golf float, which reduces water tension affects, makes it an ideal choice for use on rivers, moving canals and choppy lakes.

> Sizes: 1 - 1.5 - 2 - 3 - 4 5 - 6 - 8

Universal shape which is ideal for both rivers and still waters. The protective plastic tube through the float is very hard wearing and makes the float virtually indestructible highly recommended when fishing for carp on the pole.


> Sizes: 0,5 - 0,75 - 1 1.5 - 2 - 3 - 4 - 5 - 6

This body shape allows for more sensitive presentation even more so if you use the 1 mm carbon or glass stem as the bristle. Also incredibly strong, however, and will handle big fish well.

Sizes: 0,2 - 0,3 - 0,5 - 0,75 - 1 1.5 - 2 - 3 - 4 - 5 - 6

They are well constructed and very strong. Bristles are interchangeable so you can make rigs that perform well for delicate presentation or dealing with big weights of fish.

They can be set up with the line through the body or externally



Components of the tear drop floats are all interchangeable and they can be assembled in a number of ways to suit your own requirements only your imagination could limit the number of variations.

















Code	Weight gr	Antenna	Stem	Body mat.	Pcs/bag
1073	0,2-0,4-0,6-0,8	fix	carbon	balsa	5

Float with balsa



	, , , ,				
Code	Weight gr	Antenna	Stem	Body mat.	Pcs/bag
1041	1-1,5-2-3-4-5	plastic	fibre glass	balsa	5
1042	0,5-0,75-1-2-3-4	plastic	fibre glass	balsa	5
1043	0,5-1,5-2	plastic	fibre glass	balsa	5
1044	0,5-1-1,5-2	fibre glass	carbon	balsa	5
1045	0,4-0,5-0,75-0,8-1-1,25-1,5-2-3	hollow	carbon	balsa	5
1046	0,8-1-1,5-2	hollow	carbon	balsa	5
1047	0,6-0,8-1-1,5-2	fibre glass	carbon	balsa	5
1048	0,4-0,6-0,8-1-1,25	fibre glass	carbon	balsa	5

Float with balsa antenna




Code	Weight gr	Antenna	Stem	Body mat.	Pcs/bag
1060	1-2-3-4-5-6	balsa	fibre glass	balsa	5
1061	0,2-0,4-0,6-0,8-1-1,5-2-3-4-5-6	balsa	fibre glass	balsa	5
1063	0,5-1-3	balsa	fibre glass	balsa	5

Balsa float with changeable star light antenna



Code	Weight gr	Antenna	Stem	Body mat.	Pcs/bag
1205	2-3-4-5-6-8-10	plastic	fibre glass	balsa	5
1206	1-2-2,5-3-4-5-6-8	plastic	fibre glass	balsa	5
1207	1-2-3-4-5-6	plastic	fibre glass	balsa	5
1208	2-3-4-5-6	plastic	fibre glass	balsa	5



Attachments

2018 Dart wings (9 pcs/bag) 2019 Flat antennas (9 pcs/baq)





Waggler attachment Light (Fixed) Code: 2005


A sure and safe float fixing that allows quick changes. Tangles and knots are reduced because of the built in big load bearing swivel. The attach-ment is very light as carbon is used in the manufacture. We offer the small Waggler attachment for 8-10 gr floats,

and the medium attachment for floats above 10 gr.

Size	Code	Weight	Pcs/bag
Small	2005	0,22 gr	3 pcs
Medium	2005	0,35 gr	3 pcs

Anti tangle waggler attachment (Fixed) Code: 2006

Cralusso's own development! The success of the anti-tangle waggler attachment lies in the asymmetric design which allows the device to keep the line away from the float and so greatly reduce the possibility of tangles and knots.



How to use this attachment?

Size	Code	Weight	Pcs/bag
Small	2006	0,30 gr	3 pcs
Medium	2006	0,45 gr	3 pcs

Metal waggler snap

Code: 2035

Float fixer with ball bearing swivel, withstands the highest loads

Weight	Pcs/bag
0,30 gr	2 db



Adjustable float-holding roll

2032 S

2032 M



Adjustable roll-length

Colour antenna label

2050





CRALUSS



Line's sinking spray

2058



Line marker

2054





2055



2056



2057






Strong silicon tubes 2009 0,8×2,2 mm



Silicon tubes mixed 2009-mix





3×9 pcs

4 pcs

4 pcs 4 pcs

Size	Weight
0,5 mm	0,1 gr
0,7 mm	0,1 gr
0,9 mm	0,1 gr

mix

Cylindrical rubber stopper 2016 Size Pcs/bag 9 pcs S Μ 9 pcs 9 pcs

Float adaptors For tear drop floats 2007 Pcs/bag



Float fixing set 2014-mix



Pellet ring 2015 Sizes: S-M-L




Anti-tangle soft tube 2017 0,5×1,8 - 0,8×1,9 - 1,0×2,1 mm



Bait holder 2025 Sizes: S-L



Flare rubber thorn 2012-mix



Pellet stopper kit 2026 Hard



2028 S 7 mm, M 10 mm




Metal bait spike 7-10 mm



Hook Silicone Tube 2031 0,3 and 0,5 mm



Plastic bait spike 2029 S 5-7 mm, M 10-13 mm



Fixing plastic bait spike added silicone!




Boilie stopper 2027



Silicon fastened bait sting 2030 S 7mm - M 10mm







Hooklength Line Soft & Strong

2061



Great attention to detail has been paid to ensure this line has the optimal relationship between strength and suppleness. It is reliable, strong and resistant to twist and tangles.

Length (m)	Diameter (mm)	Breaking Strain (kg)
50	0.088	1,18
50	0,102	1,57
50	0,123	2,34
50	0,143	3,07
50	0,160	3,84
50	0,178	4,61
50	0,201	5,71
50	0,220	6,65
50	0,250	8,30



New generation hooklength line, which developed for the feeder fishing, this line has more stiff and stretch.

Length (m)	Diameter (mm)	Breaking Strain (kg)
50	0,14	2,94
50	0,16	3,65
50	0,18	4,00
50	0,20	5,41
50	0,22	6,22

Brutal

Brutal

Brutal

Brutal

Brutal

Strongest fine

Strong

As it name suggest this is a hooklength line with unique strength, what is nearly invisible in the water. Made by the most modern technologies and materials. It is extremely resistant to twist and tangles.

Length (m)	Diameter (mm)	Breaking Strain (kg)
50	0,102	1,65
50	0,125	2,42
50	0,145	3,18
50	0,163	3,98
50	0,183	4,77
50	0,202	5,93
50	0,22	6,80
50	0,25	8,45





TREME braid hooklength line

2080





This braid hooklength made of the latest technology, weaving with 8 carriers, which ensure the cyclic cross-section. Due to this technology and PE fiber are ensure the precize and maximum tensile for the lines.

Length (m)	Diameter (mm)	Breaking Strain (kg)
15	0,08	3,8
15	0,10	5,1
15	0,12	6,3
15	0,14	7,6
15	0,16	9,5

KEVLINE braid hooklength line

2081





This special angling line is made from 50% Kevlar and 50% PE fibre. Sinking design, which resists damage remarkably well, and allows use under extreme conditions.

Length (m)	Breaking Strain (kg)	Breaking Strain (lb)
10	6,8	15
10	9,1	20
10	11,3	25

「さらしら」 braid hooklength line

2082





This sinking braided line concentrically woven from 8 fibres has been developed to suit the needs of Feeder and Carp anglers. Thanks to its soft and strong design it can be a reliable and favoured equipment for anglers.

Length (m)	Breaking Strain (kg)	Breaking Strain (lb)
10	4,5	10
10	6,8	15
10	9,1	20

FAST SINKING braid hooklength line

2083






We focused entirely on making this angling line sink fast, nestle to the watercourse, to be undetectable by the fish and stay at the bottom.

Length (m)	Breaking Strain (kg)	Breaking Strain (lb)
10	5,4	12
10	8,1	18
10	11,3	25









Length (m)	Diameter (mm)	Breaking Strain (kg)
150	0,12	2,24
150	0,14	2,75
150	0,16	3,46
150	0,18	4,14
150	0,20	5,12
150	0,22	6,54
150	0,25	8,19
150	0,30	11,22
150	0,35	15,49

This new generation sinking line has been developed specifically for waggler fishing. It possesses qualities of high abrasion resistance and extremely low surface friction which enables easy casting and creates fast sink rates

Length (m)	Diameter (mm)	Breaking Strain (kg)
150	0,14	2,21
150	0,16	2,77
150	0,18	3,31
150	0,20	4,10
150	0,23	5,23
500	0,16	2,77
500	0,18	3,31
500	0,20	4,10
500	0,23	5,23




QSPSYSTEM

Unique and individual innovation made by Cralusso is the **QSP system**, which one helps to reach the optimum line filling. With this solution can avoid the multi-winding and for the reel be over or underfilled. For the **QSP system** labeled lines you can find measuring plates attached which ones support the precise loading of the reel. The QSP downloadable as an application from Google Play and App Store.

4

Please, measure the diameter and height of the spool!



Please apply the measurements into the calculator that you will find on our webpage!



Select the appropriate value from the indicator and wind the stated amount onto the spool!



When you have wound the indicated amount of line onto the reel, it should be at the optimal level!









This line is recommended for feeder fishing. It is very resilient and has a medium sink rate. The super low friction surface ensures fast movement through the water and positive contact with the fish

Length (m)	Diameter (mm)	Breaking Strain (kg)
150	0,18	4,4
150	0,20	5,5
150	0,22	6,9
150	0,25	8,6
150	0,30	11,8

METHOD FEEDER SINKING

2072

2073





Premium quality fishing line.
This high-tech copolymer fishing line produced the best results in our tests.
It is a very strong, fast-sinking line with low extensibility, which, thanks to its special low-friction coating, enables 10% longer casts and an extended lifetime.

Length (m)	Diameter (mm)	Test (Kg)
300	0,18	4,6
300	0,20	5,8
300	0,22	6,9
300	0,25	8,8
Length (m)	Diameter (mm)	Test (Kg)
Length (m) 600	Diameter (mm) 0,18	Test (Kg) 4,6
- , ,	, ,	, -,
600	0,18	4,6
600 600	0,18 0,20	4,6 5,8







A reliable fishing line with high tensile strength. UV and abrasion resistant. The extraordinary smooth surface ensures effortless long range casting.

Length (m)	Diameter (mm)	Breaking Strain (kg)
150	0,18	4,4
150	0,20	5,5
150	0,22	6,9
150	0,25	8,6
150	0,30	11,8
Length (m)	Diameter (mm)	Breaking Strain (kg)
Length (m) 350	Diameter (mm) 0,18	Breaking Strain (kg) 4,4
. ,		
350	0,18	4,4
350 350	0,18 0,20	4,4 5,5
350 350 350	0,18 0,20 0,22	4,4 5,5 6,9



This low-stretch line specially developed for feeder and carp fishing. The fluoro carbon coating guarrantee longer casting distance and faster sinking.

Length (m)	Diameter (mm)	Test (Kg)	Fish test (Kg)
150	0,18	2,8	5,1
150	0,20	3,4	6,5
150	0,22	4,0	7,3
150	0,25	5,1	9,5
150	0,30	7,2	13,0
300	0,18	2,8	5,1
300	0,20	3,4	6,5
300	0,22	4,0	7,3
300	0,25	5,1	9,5
300	0,30	7,2	13,0
	·	•	- , -



This line is recommended for feeder and carp fishing. It has a medium sink rate, high abrasion resistance and very low surface friction that assists with long range casting and minimal damage.

Length (m)	Diameter (mm)	Breaking Strain (kg)
500	0,20	5,1
500	0,22	6,5
500	0,25	8,2
500	0,30	11,2







Fine-woven, quiet, moderately soft-braided fishing line with high tensile strength, wear-resistant surface and zero elongation. Thanks to its thin, special coating, it slides quietly and easily between the rings. Thus, it allows longer casts for spinning anglers even with lighter baits.

Length (m)	Diameter (mm)	Breaking Strain (kg)
100	0,10	5,8
100	0,12	6,9
100	0,15	8,7
100	0,18	11,4
100	0,20	14,2




Fluoro carbon is being nealy invisible in water and this 100% fluoro carbon exceeds all expectations. It has a low stretch and fast sinking rate.

Length (m)	Diameter (mm)	Breaking Strain (kg)
30+10	0,14	1,92
30+10	0,16	2,52
30+10	0,18	3,09
30+10	0,20	3,90
30+10	0,22	5,06
30+10	0,25	6,12
30+10	0,30	7,55
30+10	0,40	14,55
30+10	0,50	20,24





Cralusso latest development, **NAVIGATOR** line family











The Navigator Feeder fishing line provides great opportunities for both carp and feeder anglers.

Short and long range distances, features and clipping up points are easily identified and there is no problem if you use two or more rods. The line is marked every 5m and this will assist you to fish accurately at the same distance. Please look at the diagram and further information can be found on our webpage.

This line was developed in accordance with the requirements of high profile carp and feeder anglers - it is extremely strong, has a medium sink rate, possesses high tensile strength with low stretch and is an easily managed.

THE SOLUTION: The QSP system which is only provided by Cralusso! It will help to avoid the need for multiple attempts at filling spools accurately. You will find the description on page 30 and further information on our webpage.

USP UK CODE
国共2006年 国
142 (153)

OCD OD CODE

Length (m)	Diameter (mm)	Breaking Strain (kg)
200	0,18	4,40
200	0,20	5,51
200	0,22	6,90
200	0,25	8,60

Első 20 m jelöletlen 20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100 105 m
Navigator Feeder			_	_												200 m

CARPower feederGUM





Recommend to the following line thicknesses:

Length (m)	Diameter (mm)	Monofil	Braided (mm)
10	0,65	0,12-0,18	0,06-0,10
10	0,80	0,18-0,25	0,10-0,16
10	1,00	0,25-0,35	0,16-0,22



OHO Sode Light 2401 Flatted - Forged - Round Slim stemmed easy hook 16 14 12 10 Size 18 Hooklength 0,20 0,10-0,11 0,11-0,12 0,12 0,13 0,14 0,14 0,16 0,18 Weight (gr) 0,004 0,005 0,008 0,012 0,017 0,023 0,05 0,09 0,12 Diameter (mm) 0,76 0,27 0,28 0,33 0,37 0,41 0,49 0,57 0,72 Pcs/bag 14 14 16 16 16 16 14 14 14

Chika

2405



Flatted - Round


	J)	7	7	7		
Size	18	16	15	14	12	10	8
Rooklength Line Soft & Strong	0,10	0,10-0,11	0,12	0,12	0,12-0,13	0,13-0,14	0,14
Weight (gr)	0,005	0,008	0,011	0,014	0,018	0,024	0,029
Diameter (mm)	0,28	0,33	0,36	0,39	0,43	0,46	0,48
Pcs/bag	16	16	16	16	14	14	14



Koaji Round Koaji Round Brass 2410 2411




Flatted - Round





Shin Aji

Flatted - Large Forged



9	





		\cup		
Size	11	9	7	5
Hooklength Line Soft & Strong	0,18	0,20	0,25	0,30
TREME	0,10	0,12	0,16	0,18
Weight (gr)	0,045	0,066	0,094	0,14
Diameter (mm)	0,57	0,64	0,72	0,81
Pcs/bag	11	10	9	8





Umi Tango			2420			
Flatted – Forge	1	,				
					\bigcup	\bigcup
Size	16	14	12	10	8	6
Hooklength Line Soft & Strong	0,12	0,12-0,14	0,14-0,16	0,16	0,18	0,18-0,20
XTREME				0,08	0,10	0,10-0,12
Weight (gr)	0,014	0,024	0,034	0,051	0,083	0,103
Diameter (mm)	0,39	0,46	0,51	0,57	0,68	0,72
Pcs/bag	12	12	12	12	11	10



SB Chinu

2430

Double (one normal and one micro) edge point Flatted – Forged and Curved

Size	10	8	6	4	2
Hooklength	0,20	0,22	0,25	0,30	0,32-0,35
X TREME	0,12-0,14	0,14	0,16	0,18	
Weight (gr)	0,049	0,061	0,077	0,134	0,2
Diameter (mm)	0,6	0,68	0,72	0,86	0,99
Pcs/bag	10	10	9	9	7



Delta Chinu

2435

Triple edge point - Trust Grip - Forged and Curved

Size	10	8	6	4	2
Hooklength Line Soft & Strong	0,18	0,20	0,22-0,25	0,25-0,30	0,30-0,35
X TREME	0,10	0,12-0,14	0,14-0,16	0,16-0,18	
Weight (gr)	0,048	0,070	0,084	0,137	0,198
Diameter (mm)	0,6	0,68	0,72	0,86	0,99
Pcs/bag	8	8	8	7	6





Chinu W/Ring

With PTFE coat


Size

Rooklength Line sett & Strong

Weight (gr)

Pcs/bag

Diameter (mm)



0,10

0,063

0,6

14

7
8

14

\cup	\bigcup	
8	6	
0,20	0,22-0,25	(
0,12-0,14	0,14-0,16	C
0,082	0,10	
0,68	0,72	

13

2440



4	2
0,25-0,30	0,30-0,35
0,16-0,18	0,18
0,15	0,23
0,86	0,99
12	10









The biggest fish at the 2014 world **championship** held in Croatia, a 4,6kg barbel was caught on the fast-flowing Drava by Arjan Klop, member of the world champion Dutch team using our 2445 Chinu hook. This hook has also proven its worth many times! Made of forged Japanese steel, extremely sharp, despite its medium thick stem it is remarkably strong. A reliable companion during tiring.

Chinu		2	2445	
Brass				
	()	()	()	()

14

12	11	10	8	6
0,18	0,20	0,22-0,25	0,25-0,30	0,30-0,35
0,10	0,12-0,14	0,14-0,16	0,16-0,18	0,18
0,031	0,039	0,048	0,066	0,079
0,6	0,68	0,72	0,86	0,99

14



Maruseigo	horog
-----------	-------

With PTFE coat

Size Hooklength Line Soft & Strong

TREME

Pcs/bag

Weight (gr)

Diameter (mm)

Size Hooklength Line Soft & Strong TREME Weight (gr) Diameter (mm) Pcs/bag

14	12
0,20	0,22

0,14

0,048

0,68

11

14

0,12-0,14

0,031

0,6

12

2450	
10	8
0,28	0,35

0,104

0,86

10



0,156

0,99

9

14



0,40

0,236

1,06

8

14





0,45

1,13

7

Gripper Carp

2455

0,16-0,18

0,071

0,72

11

With PTFE coat

Size	8	6	4
Recommended max.line strength	18 lb	20 lb	22 lb
Weight (gr)	0,18	0,24	0,29
Diameter (mm)	0,94	0,98	1,10
Pcs/bag	8	8	8



Boilie Carp	2460

With PTFE coat

Size	8	6	4
Recommended max.line strength	17 lb	24 lb	30 lb
Weight (gr)	0,092	0,145	0,224
Diameter (mm)	0,78	0,89	1,03
Pcs/bag	8	8	8



Anti Snag

2465

OI

With PTFE coat

Size	8	6	4	2
Recommended max.line strength	18 lb	23 lb	34 lb	37 lb
Weight (gr)	0,17	0,22	0,37	0,40
Diameter (mm)	0,98	1,03	1,22	1,26
Pcs/bag	8	8	8	8



OI

CARPower

With PTFE co

r			2470				1
oat			1				,
	14	12	10	8	6	4	2

J		\cup	\cup	\cup	\cup	U
14	12	10	8	6	4	2
0,20	0,22	0,25	0,28	0,32	0,35	0,38
0,12	0,14	0,16	0,18	0,20	0,20	0,22
0,028	0,03	0,043	0,054	0,092	0,131	0,23
0,48	0,52	0,62	0,75	0,85	0,951	1,06
12	12	12	12	12	12	10
	0,20 0,12 0,028 0,48	0,20 0,22 0,12 0,14 0,028 0,03 0,48 0,52	0,20 0,22 0,25 0,12 0,14 0,16 0,028 0,03 0,043 0,48 0,52 0,62	0,20 0,22 0,25 0,28 0,12 0,14 0,16 0,18 0,028 0,03 0,043 0,054 0,48 0,52 0,62 0,75	0,20 0,22 0,25 0,28 0,32 0,12 0,14 0,16 0,18 0,20 0,028 0,03 0,043 0,054 0,092 0,48 0,52 0,62 0,75 0,85	0,20 0,22 0,25 0,28 0,32 0,35 0,12 0,14 0,16 0,18 0,20 0,20 0,028 0,03 0,043 0,054 0,092 0,131 0,48 0,52 0,62 0,75 0,85 0,951




CARPmagnet Barbless

2472

12	10	8	6	4
0,22	0,25	0,28	0,30	0,35
0,14	0,16	0,18	0,2	0,22
0,049	0,075	0,093	0,107	0,167
0,64	0,72	0,76	0,81	0,92
12	12	12	12	12





Size Hooklength Line Soft & Strong

Weight (gr)

Pcs/bag

Diameter (mm)

2480



Size	2	1	1/0	2/0
Weight (gr)	0,219	0,272	0,338	0,439
Diameter (mm)	0,86	0,92	0,99	1,07
Pcs/bag	8	8	8	8







<i>I</i> ,					
Rolling swivel, black	2109				
	0 0 0 0	Size	Test	Weight	Pcs/bag
<u> </u>		3/0	100 kg	1,82 gr	3 pcs
	0.00	2/0	75 kg	1,28 gr	4 pcs
	0	1/0	60 kg	0,90 gr	5 pcs
	~=~	2	43 kg	0,53 gr	6 pcs
~-	^ 0=0	4	35 kg	0,33 gr	8 pcs
0	0 ~=~	6	30 kg	0,19 gr	12 pcs
	0=0	8	19 kg	0,12 gr	12 pcs
0	0 0=0	10 12	14 kg 9 kg	0,07 gr 0,06 gr	12 pcs 12 pcs
0 -		12	3 Kg	0,00 gi	12 pcs
Golden swivel	2110				
Exclusive design		Size	Test	Weight	Pcs/bag
exclusive design	○ ○	3	40 kg	0,41 gr	10 pcs
	0=0	5	32 kg	0,25 gr	12 pcs
	0=0	7	22 kg	0,13 gr	12 pcs
	000	10	14 kg	0,07 gr	12 pcs
	0=0	14	4 kg	0,04 gr	12 pcs
Rhombus swivel	2111				
		Size	Test	Weight	Pcs/bag
	000	5	27 kg	0,25 gr	12 pcs
\sim	080	7	19 kg	0,13 gr	12 pcs
	080	10	9 kg	0,07 gr	12 pcs
	080	12	6 kg	0,06 gr	12 pcs
		14	4 kg	0,04 gr	12 pcs
Double swivel	2112				
Double Swivet		Size	Test	Weight	Pcs/bag
	0==0	5	32 kg	0,44 gr	12 pcs
0000	0==0	7	22 kg	0,25 gr	12 pcs
	0-89-0	10	14 kg	0,13 gr	12 pcs
	0000	12	8 kg	0,09 qr	12 pcs
	0000	14	4 kg	0,06 gr	12 pcs
Triple speed swivel	2113				
Triple speed swivet	2113	Size	Test	Weight	Pcs/bag
	0===0	7	22 kg	0,23 gr	12 pcs
	0===0	10	14 kg	0,112 gr	12 pcs
	00000	12	8 kg	0,10 gr	12 pcs
	0-000-0	14	4 kg	0,062 gr	12 pcs
Triple chain quival	211/			_	
Triple chain swivel	2114		_		- "
	0=0=0=0	Size	Test	Weight	Pcs/bag
\circ	0000000	7 10	22 kg 14 kg	0,23 gr 0,112 gr	12 pcs
	0=0=0=0	14	4 kg	0,112 gr	12 pcs 12 pcs
		17	+ Kg	0,002 gi	12 pcs
Swivel & safety snap	2115				
	000	Size	Test	Weight	Pcs/bag
	000	5	9 kg	0,40 gr	12 pcs
	000	7	7 kg	0,23 gr	12 pcs
	000	10 14	5 kg	0,14 gr	12 pcs
	Contract of the contract of th	14	3 kg	0,10 gr	12 pcs
	(((((((((((((((((((
Crane swivel with interlock s	(((((((((((((((((((
Crane swivel with interlock s	snap 2116	Size	Test	Weight	Pcs/bag
Crane swivel with interlock s	snap 2116	2	18 kg	0,52 gr	10 pcs
Crane swivel with interlock s	snap 2116	2 4	18 kg 14 kg	0,52 gr 0,38 gr	10 pcs 12 pcs
Crane swivel with interlock s	snap 2116	2 4 6	18 kg 14 kg 12 kg	0,52 gr 0,38 gr 0,26 gr	10 pcs 12 pcs 12 pcs
Crane swivel with interlock s	snap 2116	2 4 6 8	18 kg 14 kg 12 kg 10 kg	0,52 gr 0,38 gr 0,26 gr 0,16 gr	10 pcs 12 pcs 12 pcs 12 pcs
	snap 2116	2 4 6	18 kg 14 kg 12 kg	0,52 gr 0,38 gr 0,26 gr	10 pcs 12 pcs 12 pcs
Crane swivel with interlock so	snap 2116	2 4 6 8	18 kg 14 kg 12 kg 10 kg	0,52 gr 0,38 gr 0,26 gr 0,16 gr	10 pcs 12 pcs 12 pcs 12 pcs
Double rolling swievel with	snap 2116	2 4 6 8	18 kg 14 kg 12 kg 10 kg 9 kg	0,52 gr 0,38 gr 0,26 gr 0,16 gr	10 pcs 12 pcs 12 pcs 12 pcs
	2116 2150	2 4 6 8 10 Size 6	18 kg 14 kg 12 kg 10 kg 9 kg Test 12 kg	0,52 gr 0,38 gr 0,26 gr 0,16 gr 0,12 gr Weight 0,43 gr	10 pcs 12 pcs 12 pcs 12 pcs 12 pcs 12 pcs
Double rolling swievel with	2150	2 4 6 8 10 Size 6 8	18 kg 14 kg 12 kg 10 kg 9 kg Test 12 kg 10 kg	0,52 gr 0,38 gr 0,26 gr 0,16 gr 0,12 gr Weight 0,43 gr 0,26 gr	10 pcs 12 pcs 12 pcs 12 pcs 12 pcs 12 pcs Pcs/bag 6 pcs 6 pcs
Double rolling swievel with	2116 2150	2 4 6 8 10 Size 6	18 kg 14 kg 12 kg 10 kg 9 kg Test 12 kg	0,52 gr 0,38 gr 0,26 gr 0,16 gr 0,12 gr Weight 0,43 gr	10 pcs 12 pcs 12 pcs 12 pcs 12 pcs 12 pcs Pcs/bag 6 pcs



Swivel with hooked snap	2117				
	00000	Size	Test	Weight	Pcs/bag
2-0-0	0000	5	28 kg	0,55 gr	12 pcs
	0000	7 10	20 kg 12 kg	0,25 gr 0,13 gr	12 pcs 12 pcs
	0000	14	4 kg	0,06 gr	12 pcs
			-	. 3	
Ball bearing swivel with snap	2118				
	000:	Size	Test	Weight	Pcs/bag
000	000	0	12 kg	0,32 gr	6 pcs
(7-7)	000	1	18 kg	0,52 gr	6 pcs
		2	25 kg 35 kg	0,76 gr 1,60 gr	6 pcs
	000	4	35 KY	1,00 gi	ο μες
Swing coastlock snap	2119				
	0-01-	Size	Test	Weight	Pcs/bag
\sim	~	6	30 kg	0,32 gr	12 pcs
	~	8	19 kg	0,20 gr	12 pcs
	×=	10	14 kg	0,12 gr	12 pcs
All de la constant de	~ _	12	9 kg	0,08 gr	12 pcs
Side-line rolling swivel	2120				
	0.00-650	Size	Test	Weight	Pcs/bag
	0 = ====	2	43 kg	0,88 gr	6 pcs
	00000	4	35 kg	0,56 gr	6 pcs
	0-8-483	6	30 kg	0,32 gr	6 pcs
	0-0-40	8	19 kg	0,18 gr	6 pcs
Corner plate swivel	2121				
Ø.	0	Size	Weight	Pcs/bag	
/)	6	1,3 gr	3 pcs	
		8	0,94 gr	3 pcs	
-	18	10	0,57 gr	3 pcs	
A	0				
	68				
田	0 6				
Brass Head Safety Snap	2122				
		Size	Weight	Pcs/bag	
		S	0,17 gr	6 pcs	
		М	0,26 gr	6 pcs	
Plastic head swivel with interlock	snap 2123				
rtastic fiedu swivet with filtertock	Jiiuh LILJ	Si-o	Maiaht	Doc/box	
	G	Size S	Weight 0,15 gr	Pcs/bag 6 pcs	
		M	0,13 gr	6 pcs	
	God H		0/23 g.	o pes	
Self-lock rotating snap	2124	Size	Test	Weight	Pcs/bag
Sett tock foldering shap		4/0	90 kg	3,50 gr	4 pcs
	000	2/0	70 kg	1,84 gr	6 pcs
		1	55 kg	1,06 gr	10 pcs
		3	40 kg	0,67 gr	10 pcs
	Con	5	30 kg	0,43 gr	12 pcs
		7 10	15 kg 10 kg	0,24 gr	12 pcs
		10	10 ку	0,14 gr	12 pcs
Hooked snap	2125	Size	Test	Weight	Pcs/bag
Hooked Shap		00	9 kg	0,03 gr	12 pcs
		0	12 kg	0,04 gr	12 pcs
~ / / ~	2000	1	20 kg	0,08 gr	12 pcs
	200	2	28 kg	0,13 gr	12 pcs
	.) ()	3	35 kg	0,20 gr	12 pcs



Rolling swivel with nice snap

2127





_	-	+	_	•
OH	κα	Ŧ	\neg	
*	-	-	_	

Size	Test	Weight	Pcs/bag
4/0	70 kg	2,05 gr	4 pcs
2/0	44 kg	1,45 gr	6 pcs
1	38 kg	0,92 gr	10 pcs
3	33 kg	0,68 gr	12 pcs
5	27 kg	0,44 gr	12 pcs
7	20 kg	0,27 gr	12 pcs
10	12 kg	0.13 gr	12 pcs

Quick snap with fixing tube

2128





00-	
00-	

Size	Pcs/bag
6	6 pcs
8	6 pcs

Safety lead snap kit

2130






Swivel with pearl beads and rubber stopper

2129

Pcs/bag 2×4 pcs



2131






Size















2132



Size	Pcs/bag
8	6 pcs
10	6 pcs
12	6 pcs
14	6 pcs



Rolling quick snap

2134





Size	Test	Weight	Pcs/bag
8	9 kg	0,16 gr	6 db
10	7 kg	0,1 gr	6 db
12	5 kg	0,06 gr	6 db
14	3 kg	0,04 gr	6 db

Feeder quick snap

2133






Soft beads

2141

1,2×6mm

8 pcs/bag



2137

Most powerful method snap



Size	Test	Weight	Pcs/bag
8	9 kg	0,36 gr	6 db

Swivel with side line clip





Size	Test	Weight	Pcs/bag
8	14 kg	0,20 gr	12 pcs
10	9 kg	0,12 gr	12 pcs
12	4 kg	0,08 gr	12 pcs

Double quick snap swivel

2136





Size	Test	Weight	Pcs/bag
8	9 kg	0,24 gr	6 db
10	7 kg	0,15 gr	6 db
12	5 kg	0,1 gr	6 db
14	3 kg	0,06 gr	6 db

Not-A-Knot swivel

2146

XXL 40 kg 6 pcs/bag




Maggot clips 2145 11×14×0,5 mm 6 pcs/bag





Distance holders, Fixing wedges



Pop up, Suspended, solvable and smoking mini boilies



Pop up, Fluo mini boilie

	Code	Size	Weight	Flavor
	2665	10 mm	40 gr	Fluo pineapple
NEW	2666	10 mm	40 gr	Chocolate-mango
	2678	12 mm	40 gr	Fluo pineapple





Pop up white mini boilie

Code	Size	Weight	Flavor
2680	8 mm	20 gr	Garlic
2685	8 mm	20 gr	N-Butyric acid
2690	12 mm	40 gr	Garlic
2695	12 mm	40 gr	N-Butyric acid



Ready to go mini boilie



No need to bother anymore with mounting, just hang up the balanced hooklength into the method snap from the box. The hook and the bait size, thickness of hooklength and balance lead harmonize with each other what is one of the main part of successful fishing. Contains one prepared hooklength per box.




Hook bait and pellets

Jelly Corn







Flexible corn developed using raw materials approved by the Aquaculture Department of Szent István University; fully biodegradable and digestible for fish. The vitamin-enriched, coloured and flavoured corns are quick to attract fish, making them an excellent bait. Just stick it on your hook, bait pin or boilie stopper. You'll find corns of three different sizes in your box. These baits, made from dyed natural input materials do not stain your hands. They dry and shrink a little if left in open air, while in water they swell somewhat.



Scientists estimate that for conventional plastic corn baits it takes about 500 years to decompose!

LET'S PROTECT THE ENVIRONMENT AND FISH!

Code	Colour	Flavor	Pcs/bag
2505	yellow	Pineapple	30 pcs
2506	red	Strawberry	30 pcs
2507	orange	chocolate-orange	30 pcs
2520	white	N-butyric acid	30 pcs
2521	pink	Pepper sausage	30 pcs
2522	yellowish green	Garlic	30 pcs
2523	green	brandy corn	30 pcs







-FISHING-MASTER

Aroma spray

Code 2850 2855	Flavor Fluo pineapple Strawberry	L. measure 50 ml 50 ml				
2865	Garlic	50 ml		AL 113		
2870	Pepper sausage	50 ml			626	-
2875	Squid, octopus	50 ml	E 27		10.00	
			HING MAST ineapple woma spray	Garlic Morna spray	ISHING MASTER	SHING Squ Octo

-FISHING-MASTER-

Method gel

Code	Flavor	Weight
2880	Fluo pineapple	100 gr
2881	Strawberry	100 gr
2882	Caramel	100 gr
2883	Garlic	100 gr
2884	Fluo squid octopus	100 gr
2885	Cheese	100 gr

















Tripod







Rod rest heads







Feeder Basket



Method basket plated

(packing bag)





3210

Method basket stemed

(packing bag)





Eco method basket set

3250

Set:

EXC method feeder 20 g - 1 pcs

EXC method feeder 30 g - 1 pcs

EXC method modul - 1 pcs

Rolling swivel 10 – 2 pcs

Method basket charger

3215

3280


1 pcs/bag (packing bag)



Aerowinged basket


(packing bag)





3205

Code	Weight	Pcs/bag
3205-20	20 gr	2 pcs
3205-25	25 gr	2 pcs
3205-30	30 gr	2 pcs





Vario feeder 2 in 1 basket

3290

2 pcs/bag



Code	Weight	Pcs/bag
3290-20	20 gr	2 pcs
3290-30	30 gr	2 pcs
3290-40	40 gr	2 pcs



Feeder Basket

3295




3296

Pop-up feeder basket



The pop-up feeder basket weighs only 2 grams. Filled with feed, it sinks to the bottom and stays there until much of the feed is dissolved. Thereafter, its light buoyancy brings it slowly towards the surface, 'scanning' through the entire water column. Takes may be expected in multiple phases, either in midwater, with the bait sinking slowly together with the basket, or lying on the bottom, but often it is the bait rising up to midwater that triggers an intensive take. The speed of sinking or rising can be controlled thanks to the adjustable design. Pop-up feeder basket adjustable





Zero Weightless Feeder basket

3297



New generation method baskets and fillers

A unique innovation: patented Cralusso method baskets with longitudinal ribs. Thanks to its special design the hook is less likely to become attached to the

longitudinal ribs and it perfectly retains the feed as long as necessary and quickly releases it in the water. With its centre of gravity close to its front end it is particularly suitable for long and accurate throws. You can replace your feeder basket with one of a different size simply and quickly, without having to take apart your tackle.

Sensitive method basket

3300



Code	Weight	Pcs/bag
3300-30	30 gr	1 pcs
3300-40	40 gr	1 pcs
3300-50	50 gr	1 pcs
3300-70	70 gr	1 pcs

Rocket method basket



Code	Weight	Pcs/bag
3305-30	30 gr	1 pcs
3305-40	40 gr	1 pcs
3305-50	50 gr	1 pcs
3305-70	70 gr	1 pcs



Feeder baskets





Fluo Green Rocket Method basket

3306

Plastic-free packaging



Code	Weight	
3306-30	30 gr	Fluo Green Rocket Method basket
3306-40	40 gr	Fluo Green Rocket Method basket
3306-50	50 gr	Fluo Green Rocket Method basket
3306-60	60 gr	Fluo Green Rocket Method basket

Orange Rocket Method basket

3307

Plastic-free packaging



Code	Weight	
3307-30	30 gr	Orange Rocket Method basket
3307-40	40 gr	Orange Rocket Method basket
3307-50	50 gr	Orange Rocket Method basket
3307-60	60 gr	Orange Rocket Method basket

Pink Rocket Method basket

3308

Plastic-free packaging



Code	Weight	
3308-30	30 gr	Pink Rocket Method basket
3308-40	40 gr	Pink Rocket Method basket
3308-50	50 gr	Pink Rocket Method basket
3308-60	60 gr	Pink Rocket Method basket

Crystal Rocket Method basket

3309

Plastic-free packaging



Code	Weight	
3309-30	30 gr	Crystal Rocket Method basket
3309-40	40 gr	Crystal Rocket Method basket
3309-50	50 gr	Crystal Rocket Method basket
3309-60	60 gr	Crystal Rocket Method basket

Method basket stem set 5 pcs/bag





DOUBLE CHANCE method, a unique Innovation for catching more fish!



Duble Chance Method basket

3315




Code	Weight	Pcs/bag
3315-30	30 gr	1 pcs
3315-40	40 gr	1 pcs
3315-50	50 gr	1 pcs
3315-70	70 gr	1 pcs


The Double Chance Method basket is Cralusso's latest, unique development. Use the newly developed basket for even more successful fishing! Two baits, of different flavours and buoyancies can be presented simultaneously to find the day's winner bait. When you pull out your rig after an unfinished or a missed take and check the hooklength (long one, see the drawing), you'll see which bait attracted the fish. While playing a hooked fish the other hook safely retracts into the basket tube – to keep the fish from being harmed and avoid getting the hook caught in rocks or vegetation in the water.











SHELL Method mould





We recommend that you use 3350 Blue Shell Method filling device for filling Double Chance feeder baskets. The gaps on the side of the openable device accommodate the two lateral wings of the Double Chance basket. The Blue Shell method feeder basket filling device provides for simple and quick filling, and the feeding stuff will never stick to it. You simply open the device off the filled basket.











Method packages



Sensitive package

3360



Rocket package

3365



Code	Weight	Pcs/bag
3365-30	30 gr	2 pcs
3365-40	40 gr	2 pcs
3365-50	50 gr	2 pcs
3365-70	70 gr	2 pcs

Code	Weight	Pcs/bag
3360-30	30 gr	2 pcs
3360-40	40 gr	2 pcs
3360-50	50 gr	2 pcs
3360-70	70 gr	2 pcs

Double Chance Method basket package



Code	Weight	Pcs/bag
3375-30	30 gr	2 pcs
3375-40	40 gr	2 pcs
3375-50	50 gr	2 pcs
3375-70	70 gr	2 pcs





Method set



Sensitive set

3400



Rocket set 3405



Code	Weight	Pcs/bag
3405-30	30 gr	2+1 pcs
3405-40	40 gr	2+1 pcs
3405-50	50 gr	2+1 pcs
3405-70	70 gr	2+1 pcs

Code	Weight	Pcs/bag
3400-30	30 gr	2+1 pcs
3400-40	40 gr	2+1 pcs
3400-50	50 gr	2+1 pcs
3400-70	70 gr	2+1 pcs

Double Chance Method basket set



Code	Weight	Pcs/bag
3410-30	30 gr	2+1 pcs
3410-40	40 gr	2+1 pcs
3410-50	50 gr	2+1 pcs
3410-70	70 gr	2+1 pcs






Method set







www.cralusso.com

Rocket method set

3420

Code	Weight	
3420-30	30 gr	Fluo green basket + Charger
3420-40	40 gr	Fluo green basket + Charger
3420-50	50 gr	Fluo green basket + Charger
3420-60	60 gr	Fluo green basket + Charger

Plastic-free packaging



Rocket	method	set

Code Weight

3421-30 30 gr Orange basket + Charger

3421-40 40 gr Orange basket + Charger

3421-50 50 gr Orange basket + Charger

3421-60 60 gr Orange basket + Charger

Plastic-free packaging



Rocket method set

3422

3421

Code	Weight	
3422-30	30 gr	Pink basket + Charger
3422-40	40 gr	Pink basket + Charger
3422-50	50 gr	Pink basket + Charger
3422-60	60 gr	Pink basket + Charger

Plastic-free packaging



Rocket method set 3323

Code	Weight	
3423-30	30 gr	Crystal basket + Charger
3423-40	40 gr	Crystal basket + Charger
3423-50	50 gr	Crystal basket + Charger
3423-60	60 gr	Crystal basket + Charger

Plastic-free packaging



NEW Big Rocket method bascets






The larger version of the popular Rocket method basket can accommodate 30% larger amount of feed. It is especially important for long-distance fishing and frequently installed waters.

Big Rocket method basket

3430

Plastic-free packaging



Code	Weight	
3430-30	30 gr	Big Rocket method basket khaki
3430-40	40 gr	Big Rocket method basket khaki
3430-50	50 gr	Big Rocket method basket khaki
3430-70	70 gr	Big Rocket method basket khaki

Big Rocket method basket

3431

Plastic-free packaging



Code	Weight	
3431-30	30 gr	Big Rocket method basket chrystal
3431-40	40 gr	Big Rocket method basket chrystal
3431-50	50 gr	Big Rocket method basket chrystal
3431-70	70 gr	Big Rocket method basket chrystal

Big Rocket method basket

3432

Plastic-free packaging



Code	Weight	
3432-30	30 gr	Big Rocket method basket white
3432-40	40 gr	Big Rocket method basket white
3432-50	50 gr	Big Rocket method basket white
3432-70	70 gr	Big Rocket method basket white

Method basket stem set 5 pcs/bag





NEW Big Rocket method sets





Big Rocket method set 3433

Code	Weight	
3433-30	30 gr	khaki basket + charger
3433-40	40 gr	khaki basket + charger
3433-50	50 gr	khaki basket + charger
3433-70	70 gr	khaki basket + charger

Plastic-free packaging

Big Rocket method set	3434

Code	Weight	
3434-30	30 gr	chrystal basket + charger
3434-40	40 gr	chrystal basket + charger
3434-50	50 gr	chrystal basket + charger
3434-70	70 gr	chrystal basket + charger

Plastic-free packaging





Big Rocket method set 3435

Code	Weight	
3435-30	30 gr	white basket + charger
3435-40	40 gr	white basket + charger
3435-50	50 gr	white basket + charger
3435-70	70 gr	white basket + charger

Plastic-free packaging



Innovative openable method basket quick-fillers without the nuisance of feeding stuff sticking inside. They can be used for a variety of method feeder baskets



Blue Shell

Internal size 55×34 mm



Orange Shell

Internal size 55×34 mm



Green Shell

Internal size 49×28 mm



Yellow Shell

Internal size 65×37 mm



3353

An opening quick filler to fill up large method baskets. For easy handling of even such extreme materials as glued maggots. Easy to use with Energofish, Haldorádó and other similarly large baskets.

Self-lock patent version!



Patented method fillers that are simple and quick to use. Recommended for anglers using their filler devices holding them in their hands. In addition to Cralusso's method baskets it is also compatible with the competitionsize baskets manufactured by Guru, Drennen, Mivardi, Haldorádó etc.



3351

Its shape is the same as that of Blue Shell. This self-locking version is recommended for anglers preferring to use their filler devices laid down. In addition to Cralusso's method baskets it is also compatible with the competition-size baskets manufactured by Guru, Drennen, Mivardi, Haldorádó, Topmix etc.

Self-lock patent version!



An opening guick-filler manufactured for method baskets of the most frequently used sizes and shapes. It can be effectively used with Preston, Energofish, TopMix, Nevis, Haldorádó etc. baskets It makes filling baskets easier and quicker.















Feeder Basket




3018



Code	Weight	Pcs/bag
3018-25	25 gr	2 pcs
3018-35	35 gr	2 pcs
3018-45	45 gr	2 pcs

Special round feeder with wire loop

3020



Code	Weight	Pcs/bag
3020-XL	10 gr	2 pcs
3020-XXL	10 gr	2 pcs
3020-XXXL	10 gr	2 pcs

Weights

Olive weights with silicone,- two functions in one lead

If the line is threaded through the tube, the olivette can be used as a sliding weight. If fixed to the line by silicon tubes, then it can be used as changeable weight.

Globular weight with central hole, precise cut and protector tube

The quality manufacture and tube makes it possible to fix perfectly centrally and without causing damage



6,0

3002



Code	Weight	Pcs/bag
3002-1	1,0 gr	5 pcs
3002-1,5	1,5 gr	5 pcs
3002-2	2,0 gr	5 pcs
3002-2,5	2,5 gr	5 pcs
3002-3	3,0 gr	5 pcs
3002-4	4,0 gr	5 pcs
3002-5	5,0 gr	5 pcs
3002-6	6,0 gr	5 pcs
3002-7	7,0 gr	5 pcs
3002-8	8,0 gr	5 pcs
3002-mix	Mixed	5 pcs

3001



Code	Weight	Pcs/bag
3001-1	1,0 gr	5 pcs
3001-1,5	1,5 gr	5 pcs
3001-2	2,0 gr	5 pcs
3001-2,5	2,5 gr	5 pcs
3001-3	3,0 gr	5 pcs
3001-4	4,0 gr	5 pcs
3001-5	5,0 gr	5 pcs
3001-6	6,0 gr	5 pcs
3001-7	7,0 gr	5 pcs
3001-8	8,0 gr	5 pcs
3001-10	10,0 gr	4 pcs
3001-12	12,0 gr	4 pcs
3001-15	15,0 gr	4 pcs
3001-18	18,0 gr	3 pcs
3001-20	20,0 gr	3 pcs
3001-25	25,0 gr	2 pcs
3001-30	30,0 gr	2 pcs
3001-mix	Mixed	5 pcs

3001-mix



Sounding weight

3003

Fix weight without lead, mix



Code	Weight	Pcs/bag
3003-5	5,0 gr	4 pcs
3003-10	10,0 gr	3 pcs
3003-15	15,0 gr	3 pcs
3003-20	20,0 gr	2 pcs
3003-35	35,0 gr	2 pcs





Anti tangle

Anti tangle tube with strong end 3101

 Code
 Size
 Pcs/bag

 3101-30
 30 mm
 3 pcs

 3101-55
 55 mm
 3 pcs

 3101-85
 85 mm
 3 pcs

 3101-120
 120 mm
 3 pcs

Anti tangle tube with hooked snap 3102

Code	Size	Pcs/bag
3102-80	80 mm	3 pcs
3102-120	120 mm	3 pcs
3102-180	180 mm	3 pcs









Innovative Fishing Floats and Accessories

2023

CRALUSSO, CHOICE OF THE WINNERS

Králik & Tsa. Kkt.
H-2600 Vác, Zrínyi u. 3.
Phone: +36/27-304-327
e-mail:cralusso@cralusso.com



www.cralusso.com