





Based on the recognition of his innovative work, Károly Králik, the CEO of Cralusso, was elected as the Hungarian Talent Ambassador.

When I decided to launch Cralusso I knew that instead of improving on existing products I would have to set off in an entirely new direction, developing new solutions and technologies. Our revolutionary innovations, such as our ground-breaking fishing floats enabled users to win countless world, European and national championships. During the recent years and months we have been focusing on reforming feeder and method equipment. Our unrivalled models were developed with the help of cutting-edge 3D printing technology. Which were chosen as Europe's best new product in four categories and awarded with the EFTTEX award.

#### Cralusso, choice of the winners









With our individual developments, our users have won numerous world, European and national titles! Try these products that can make you successful too.

#### Significant results with our products.

2002: Launch Cralusso

2003: World Championship – Torpedo 2005: European Championship – Torpedo 2006: Innovation Expo, GENIUS award 2007: U.S. Open – Golf and Bubble

2008: European Championship – Torpedo

2008: U.S. Open - Shark

2008: Hungarian National Championship - Shark

2009: Best Stand award

2010: Sponsorship at Poznan World Cup 2012: Title of Hungarian Talent Ambassador

2013: Expand the NAVIGATOR line

2014: Dutch men's team – the title of world champion
Hungarian team of disabled people – individual
and team title of world champion
Hungarian team of veterans – world champion
bronze medal

2015: Best Stand award Slovakian Team won the Club Team World Championship with Torpedo floats

2018: Our company has won a research and development tender. We have established our development workshop equipped with state-of-the-art machines to provide a foundation for the innovations in the coming years.

2019: The Bosnian team that won club world championship using our Raj and Torpedo floats in Prelog, Croatia.

2022: Our innovative developments has earned EFTTEX awards.

2023: Our Big Rocket and Jelly Snail products became the best product in their category at EFTTEX. The European Championship has won with our Arrow waggler float!

2024: József Papp won the Individual World Championship in the veteran category using our Helio waggler float.







#### **Award-winning innovative products**





Hookbait category winner ECO friendly, decomposable, Jelly baits, derived from food materials

CRALUSS



Fishing lines category winner
The Innovative, marked fishing lines
called Navigator







A new hydrodynamic form developed by Cralusso, the body does not lift out the water when held back. This float is for use on the pole and is ideal for use in medium or strong flow when you wish to present static or slow moving baits. It is so good and reliable that it has become the number one choice of flat float for anglers of all abilities including a few world champions!

Some quotations about the Torpedo:

- Alan Scotthorne: "The best flat float I've ever used" Angling Times, May 10 2005.
- Bob Nudd: "It will add a new dimension to your polefishing"

Angling Times 31 May 2005



Code: 1001



## TORPEDO Tuning


An advanced version of the Torpedo float, which helped the Hungarian team to win gold in the 2003 World Championship. The Torpedo Tuning was also the success story of the 2005 European Championship - 80% of the contestants used our floats, including Will Raison, the individual champion.

As with the Torpedo, this float is for use on the pole and is ideal for use in medium or strong flow when you wish to present static or slow moving baits.

Sizes: 6 - 8 - 10 - 12 - 15 - 20 - 25 - 30 - 40 - 50 - 70 gr



With recommendation of Tibor Ambrus, world champion











Code: 1003



A river float designed for use on the pole but has found favour with many anglers on the running line. It is ideal for running through the swim at variable speed. The Bubble was introduced in 2005 Madunice European Championship.

#### The winner of U.S. Open in 2007 and 2008!

Variable antenna 1-5 gr 2 pcs Variable antenna 6-20 gr 5 pcs Waterproof polyurethane body Floats can be changed without dismantling the rig

1 - 1,5 - 2 - 3 - 4 - 5 - 6 - 8 - 10 - 12 - 15 - 20 qr 30 - 40 - 50 gr

The next step of success! József Papp won the 2008 U.S. open using a Cralusso Bubble

## Functions of two floats in one 2 in 1 Code: 1004



1 You should use the first antenna position when you are holding the float back hard or even lightly.

You should use the second antenna position when you want the float running through the swim Sizes:

1 - 1,5 - 2 - 3 - 4 - 5 - 6 8 - 10 - 12 - 15 - 20 gr 25 - 30 - 40 - 50 gr Shark, the brand new flat float was developed using many years of experience in float design and was in response to the demand from professional anglers. Used primarily for pole fishing the float can present baits in many ways. The antenna position can be changed according to your technique - whether this is holding back hard or running the float through the swim.

> When the current is strong or you are holding back hard use the first bristle position. When the flow is slower or you want to run the float through the swim the second bristle position is recommended.

The streamline hump on top of the float – the sharks fin - aids stability and sensitivity - even the smallest of bites can be seen clearly.



The introduction of the Shark was at the Hungarian National Championship in 2008, where Tibor Ambrus, one of the leaders of the Tubertini-MarosMix-Cralusso group won the competition using this new



#### Choice of the Champions



Code: 1027

This hard- wearing polyurethane disc float developed by Cralusso can take the place of tradicional balsa models, that can be damaged easily.



Sizes:

The favourite float of the world championship held in Croatia in 2014, helping the Dutch team to earn the title of world champion



In this competition, Alan Scotthorne – five times individual world champion of England – and many other teams have used the innovative Cralusso floats!



Code: 1002

A special river float for use with rod and reel set ups that can be held back hard without drifting in across the flow. The direction and speed can be changed

easily offering perfect and accurate presentation. Ideal for medium and strongly currents although it can be used on still water for predator fishing when you wish to work a baitfish parallel to the bank.



Sizes: 3 - 4 - 6 - 8 - 10 - 12 15 - 20 gr

A river float for use Bolognese rods and any running line set up. The design allows you to hold the float back without it drifting in across the flow. You can vary the speed of travel easily, but in sufficient flow and by holding back hard it is possible to lead the Bolo out from the bank toward features, cover or your feed line. You can effectively position the float before letting it run

through the swim.







3 - 4 - 6 - 8 - 10 - 12 - 15 - 20 gr







Code: 1007

The Ufo and Dart floats utilize Cralusso's innovations, which give them their efficacy and popularity.







Adjusting the antenna and the sensitivity can be performed repeatedly using the calibration solution. They've become preferred by the anglers because of their versatile, simple usage and their durable design.

The concept is the same as that found in the UFO waggler but in addition to the other latest developments this version incorporates a flight.










The body is made of polyurethane, which is not sensitive to surface damage. The Dart is a very versatile float, which is a suitable for both pleasure and match anglers alike.







Recommended float adaptors Waggler Attachment Light: 2005 Brass Head Safety Snap: 2122 Plastic head swivel with interlock snap: 2123

#### DART

Code: 1008

Thanks to the versatile and adaptable antenna system, twenty Cralusso sight tips can be used with this float. Three tips are contained in each pack.


> The removeable dart wings help the floats to the flight.



The stem of the float is made from a material that is very strong and will remain straight without becoming twisted or curved.



The calibration system helps quick, simple and accurate adjustments. with 0,05 gr graduations being













Sizes:	5	-	7	- 9	) -	11	qr

Type	Distance of Casting	Changeable weight
<b>Pro Carbon</b> 8-16 gr	35-60 m	1,0-5,0 gr
<b>Rocket</b> 6-20 gr	40-85 m	2,0-3,5 gr
<b>Helio</b> 8-30 gr	40-75 m	2,5-15 gr
<b>Dart</b> 6-20 gr	35-65 m	2,5-5,5 gr
<b>Sensitive</b> 5-11 gr	35-55 m	1,5-3,0 gr
<b>Ufo</b> 6-20 gr	30-50 m	2,5-5,5 gr

Variable antenna 2 pcs







#### Waggler

Code: 1084

Professional waggler float, offering unique solutions for competitive and hobby angling as well. The float has a tapered carbon stem, a polyurethane body and tungsten discs.

A rotary part with a bearing is built into the lead head, which brakes, bends when it falls. The calibration solution developed by Cralusso allows for the quickest and most sensitive antenna setting to adjust with as little as 0.01 gramm.

1 year warranty!

Size gr	Changeable weight
8	1 gr
10	2 gr
12	3 gr
14	4 gr
16	5 gr

PUR

Strenghtened pillow swivel builted-in the lead head



**Wolfral/Match** 

We have been ecstatic over the success of the Arrow waggler but we never rest and have achieved even further improvement for this year. In addition to the already successful developments

**1 2 3 4** we are now using a weight system that is twice as heavy as brass.

This lead/tungsten combination disc system together with the new aerodynamically refined body has created an even better flight, operation and precision in use.

The antenna system consists


The antenna system consists of over 20 versions with varying diameters, lengths and colours available. New to this range are the 'air antenna' - a clever highly visible tube and a very sensitive solid option.

Size gr	Changeable weight
8	2,5 gr
10	4,5 gr
12	6,5 gr
14	8,5 gr
16	10,5 gr
18	8,0 gr
20	10,0 gr

**Tip:** With the help of the unique calibration system you can speed up the float setting process and also achieve very precise setting of the antenna.

Strenghtened pillow swivel builted-in the lead head

New antenna with helium







**ProSlider** 

Code: 1087

Professional waggler float with calibration system, new body shape, made using tungsten & helium!

Code: 1086

Our newest innovation, the HELIO waggler float incorporates the best of our knowledge. We used materials with the most optimal density, this means that the lead head, the tungsten discs and the helium-filled float body and shank provided the possibility to build an ideal float, which

- has the best flying capabilities;
- can be set to the highest sensitivity
- can be weighted in the shortest time
- has a stem that does not bend even on higher temperatures
- resists damage
- can hold over 30 types of antennas

Attention! be ext	Ceno			Changeable weight	
6 6	7		8	2,5 gr	
75			10	4,5 gr	
			12	6,5 gr	
			14	8,5 gr	
16			16	10,5 gr	
2			18	8,5 gr	0 11
	100		20	10,5 gr	
4	18	144	25	10,0 gr	
3	18	122	30	15,0 gr	
	Chatters	Gratuss &	PUR		
			Lead -	tungsten combine	

The new combination of lead and tungsten weight discs has a high specific gravity and is therefore only half the volume of brass.

Heeding the requests of the anglers, we added to our offer this easy to use, easy to throw Slider float, which satisfies the highest demands of the hobby and sport anglers. The 3.0 gr net weight of the special slider head and the design of the PUR body give excellent flying capabilities to the float. It is mainly recommended for deep water and lakes with strong currents, when the bait needs to be sunken to the vicinity of the lakebed quickly and in a stable way.

- Simple, precise usage
- Fastest antenna and sensitivity adjustment with the help of the calibration system.
- Versatile variability for weighting
- Replaceable solid and air-filled antennas

Sizes
3 + 8,0 gr
3 + 10,0 gr
3 + 12,0 gr
3 + 14,0 gr
3 + 16,0 gr
3 ± 18 0 ar

**Tip:** The new waggler stem set (Item: 2034), increase the capacity and variability of the float. The different length of stems (250-330), can be accelerate the balance, furthermore increase the distance of flight.

Sizes: 8-10-12-14-16-18 gr



#### The aim of continuous innovation to create the best waggler float!





Code: 1082

waggler Code: 1040

Incorporates a removable brass disc weight system and, of course, all the usual Cralusso innovative features








The ARROW waggler ensures an aerodynamic flight, high levels of sensitivity and offers a multifunctional, easy to use float. The longer stem offers the following advantages:

- Generates extraordinary stability and distance in flight
- The body and main weight of the float sits deep in the water and it is therefore less influenced by wind and surface skim
- The long float aids the important task of getting your line deep in the water


Transportation of the long float is not difficult as the stem and body can be separated. This allows the carrying of made up rods where required with no risk of float damage.

Size gr	Changeable weight
8	3,0 gr
10	4,0 gr
12	5,0 gr
14	6,0 gr
16	7,0 gr
18	8,5 gr





BREAM FLOAT













#### Multicolor waggler


Code: 1013

	Cod	e: 101	13	
	Si	ze ar	Changeable weight	
	312	ze gr 8 10	2 gr	
		10	2 gr	
		12 14	2 gr	
		14	2 gr 2 gr 2 gr 2 gr 2 gr	
	-			
	-			
	-			
	- 1			
-				
	_			
			iii	
	_			
	- 11			
	- 11			
	- 1			
	- 1			
ш	- 1			
	- 11			
brati	- 6			
100				
8	brasi - bu-			
	2		box	
2.	8		(8)	
5	9		8	
200	2		5	
	3		181	
			3	
A.				
(€	- A		0	
(E	<b>₩</b>		A CONTRACTOR OF THE CONTRACTOR	
(iii	(€		<b>€</b>	
60	98		SE .	
1	10		No.	
9			10	
	9			
9			The second second	
	V .			
	100			
	Y		N. V.	
			-	

#### Unweighted slider floats

Code: 1029







#### **New Carp floats**


Code: 1090

Code: 1095

Unweighted carp floats with PUR body

Carp floats with fix weight

Heavy-duty fishing floats with pur body, developed to carp fishing



#### Winner of US Open Championships in 2007



When we were creating the traditional type of tear drop floats it was our intention, as is always the company policy, to place the emphasis on making each model easy to use, infinitely variable and long lasting. The design allows all of the components, including the bristles, to be freely interchanged thus allowing numerous combinations to be achieved. The floats are available a near transparent fibre glass stem that is less visible in water.



The special dimpled surface of this Golf float, which reduces water tension affects, makes it an ideal choice for use on rivers, moving canals and choppy lakes.

Sizes: 1-1.5-2-3-4 5-6-8 Universal shape which is ideal for both rivers and still waters. The protective plastic tube through the float is very hard wearing and makes the float virtually indestructible highly recommended when fishing for carp on the pole.

Sizes: 0,5-0,75-1 1.5-2-3-4-5This body shape allows for more sensitive presentation even more so if you use the 1 mm carbon or glass stem as the bristle.


Also incredibly strong, however, and will handle big fish well.

Sizes: 0,2-0,3-0,5-0,75-1

They are well constructed and very strong. Bristles are interchangeable so you can make rigs that perform well for delicate presentation or dealing with big weights of fish.

Recommended float adaptors: 2007





#### **Attachments**

2018 Dart wings (9 pcs/bag) 2019 Flat antennas (9 pcs/baq)





#### Waggler attachment Light (Fixed) Code: 2005

A sure and safe float fixing that allows guick changes. Tangles and knots are reduced because of the built in big load bearing swivel. The attach-ment is very light as carbon is used in the manufacture. We offer the small Waggler attachment for 8-10 gr floats,


and the medium attachment for floats above 10 gr.

Size	Code	Weight	Pcs/bag
Small	2005	0,22 gr	3 pcs
Medium	2005	0,35 gr	3 pcs



#### Anti tangle waggler attachment (Fixed)

Cralusso's own development! The success of the anti-tangle waggler attachment lies in the asymmetric design which allows the device to keep the line away from the float and so greatly reduce the possibility of tangles and knots.



How to use this attachment?

ſ		2			
	1	1	١	١	
	ľ	۲	۲	ļ	
		Ł	ı	ı	

Size	Code	Weight	Pcs/bag
Small	2006	0,30 gr	3 pcs
Medium	2006	0,45 gr	3 pcs

#### Metal waggler snap

Code: 2035

Float fixer with ball bearing swivel, withstands the highest loads

Weight	Pcs/bag
0,30 gr	2 db




#### Adjustable float-holding roll

2032 S

2032 M





#### Colour antenna label

2050







Line's sinking spray

2058



CRALUSS

#### Line marker

2054



2055



2056



2057






Strong silicon tubes 2009 0,8×2,2 mm




Silicon tubes mixed 2009-mix



Size	Weight	P
0,5 mm	0,1 gr	
0,7 mm	0,1 gr	
0,9 mm	0,1 gr	

4 pcs 4 pcs




Float adaptors
For tear drop floats
2007

Pcs/bag
4 pcs



Float fixing set 2014-mix



Pellet ring 2015 Sizes: S-M-L



Anti-tangle soft tube 2017 0,5×1,8 - 0,8×1,9 - 1,0×2,1 mm



Bait holder 2025 Sizes: S-L



Flare rubber thorn 2012-mix



Pellet stopper kit 2026 Hard



Metal bait spike 7-10 mm 2028 S 7 mm, M 10 mm



Plastic bait spike 2029 S 5-7 mm, M 10-13 mm



Boilie stopper 2027



Silicon fastened bait sting 2030 S 7mm – M 10mm




Hook Silicone Tube 2031 0,3 and 0,5 mm



Fine bait spike 2051 S 7 mm – M 10 mm







Hooklength Line Soft & Strong

2061



Great attention to detail has been paid to ensure this line has the optimal relationship between strength and suppleness. It is reliable, strong and resistant to twist and tangles.

Length (m)	Diameter (mm)	Breaking Strain (kg)
50	0.088	1,18
50	0,102	1,57
50	0,123	2,34
50	0,143	3,07
50	0,160	3,84
50	0,178	4,61
50	0,201	5,71
50	0,220	6,65
50	0,250	8,30



New generation hooklength line, which developed for the feeder fishing, this line has more stiff and stretch.

Length (m)	Diameter (mm)	Breaking Strain (kg)
50	0,14	2,94
50	0,16	3,65
50	0,18	4,00
50	0,20	5,41
50	0,22	6,22

Brutal Brutal Brutal Brutal Strongest line Stronges

As it name suggest this is a hooklength line with unique strength, what is nearly invisible in the water. Made by the most modern technologies and materials. It is extremely resistant to twist and tangles.

Length (m)	Diameter (mm)	Breaking Strain (kg)
50	0,102	1,65
50	0,125	2,42
50	0,145	3,18
50	0,163	3,98
50	0,183	4,77
50	0,202	5,93
50	0,22	6,80
50	0,25	8,45





## TREME braid hooklength line

2080





This braid hooklength made of the latest technology, weaving with 8 carriers, which ensure the cyclic cross-section. Due to this technology and PE fiber are ensure the precize and maximum tensile for the lines.

Length (m)	Diameter (mm)	Breaking Strain (kg)
15	0,08	3,8
15	0,10	5,1
15	0,12	6,3
15	0,14	7,6
15	0,16	9,5

### KEVLINE braid hooklength line

2081





This special angling line is made from 50% Kevlar and 50% PE fibre. Sinking design, which resists damage remarkably well, and allows use under extreme conditions.

Length (m)	Breaking Strain (kg)	Breaking Strain (lb)
10	6,8	15
10	9,1	20
10	11,3	25

## 「とき」」はいい。 braid hooklength line

2082





This sinking braided line concentrically woven from 8 fibres has been developed to suit the needs of Feeder and Carp anglers. Thanks to its soft and strong design it can be a reliable and favoured equipment for anglers.

Length (m)	Breaking Strain (kg)	Breaking Strain (lb)
10	4,5	10
10	6,8	15
10	9,1	20

## FAST SINKING braid hooklength line

2083






We focused entirely on making this angling line sink fast, nestle to the watercourse, to be undetectable by the fish and stay at the bottom.

Length (m)	Breaking Strain (kg)	Breaking Strain (lb)
10	5,4	12
10	8,1	18
10	11,3	25









Length (m)	Diameter (mm)	Breaking Strain (kg)
150	0,12	2,24
150	0,14	2,75
150	0,16	3,46
150	0,18	4,14
150	0,20	5,12
150	0,22	6,54
150	0,25	8,19
150	0,30	11,22
150	0,35	15,49

This new generation sinking line has been developed specifically for waggler fishing. It possesses qualities of high abrasion resistance and extremely low surface friction which enables easy casting and creates fast sink rates

Length (m)	Diameter (mm)	Breaking Strain (kg)
150	0,14	2,21
150	0,16	2,77
150	0,18	3,31
150	0,20	4,10
150	0,23	5,23
500	0,16	2,77
500	0,18	3,31
500	0,20	4,10
500	0,23	5,23




**QSP** SYSTEM

Unique and individual innovation made by Cralusso is the **QSP system**, which one helps to reach the optimum line filling. With this solution can avoid the multi-winding and for the reel be over or underfilled. For the **QSP system** labeled lines you can find measuring plates attached which ones support the precise loading of the reel. The QSP downloadable as an application from Google Play and App Store.

4

Please, measure the diameter and height of the spool!



Please apply the measurements into the calculator that you will find on our webpage!



Select the appropriate value from the indicator and wind the stated amount onto the spool!



When you have wound the indicated amount of line onto the reel, it should be at the optimal level!









This line is recommended for feeder fishing. It is very resilient and has a medium sink rate. The super low friction surface ensures fast movement through the water and positive contact with the fish

Length (m)	Diameter (mm)	Breaking Strain (kg)
150	0,18	4,4
150	0,20	5,5
150	0,22	6,9
150	0,25	8,6
150	0,30	11,8

#### METHOD FEEDER SINKING

2072

2073





Premium quality fishing line.
This high-tech copolymer fishing line produced the best results in our tests.
It is a very strong, fast-sinking line with low extensibility, which, thanks to its special low-friction coating, enables 10% longer casts and an extended lifetime.

Length (m)	Diameter (mm)	Test (Kg)
300	0,18	4,6
300	0,20	5,8
300	0,22	6,9
300	0,25	8,8
Length (m)	Diameter (mm)	Test (Kg)
Length (m) 600	Diameter (mm) 0,18	Test (Kg) 4,6
3 ( )		( 3/
600	0,18	4,6
600 600	0,18 0,20	4,6 5,8

## CARPOURS

2075 2076 300 m 600 m







Length (m)	Diameter (mm)	Test (Kg)
300	0,22	6,7
300	0,25	8,5
300	0,30	11,8
300	0,35	16,3
Length (m)	Diameter (mm)	Test (Kg)
600	0,22	6,7
600	0,25	8,5
600	0,30	11,8
600	0,35	16,3





A reliable fishing line with high tensile strength. UV and abrasion resistant. The extraordinary smooth surface ensures effortless long range casting.

Length (m)	Diameter (mm)	Breaking Strain (kg)
150	0,18	4,4
150	0,20	5,5
150	0,22	6,9
150	0,25	8,6
150	0,30	11,8
Length (m)	Diameter (mm)	Breaking Strain (kg)
Length (m) 350	Diameter (mm) 0,18	Breaking Strain (kg) 4,4
• ,		
350	0,18	4,4
350 350	0,18 0,20	4,4 5,5
350 350 350	0,18 0,20 0,22	4,4 5,5 6,9

#### FEEDER & CARP



This low-stretch line specially developed for feeder and carp fishing.
The fluoro carbon coating guarrantee longer casting distance and faster sinking.

Length (m)	Diameter (mm)	Test (Kg)	Fish test (Kg)
150	0,18	2,8	5,1
150	0,20	3,4	6,5
150	0,22	4,0	7,3
150	0,25	5,1	9,5
150	0,30	7,2	13,0
300	0,18	2,8	5,1
300	0,20	3,4	6,5
300	0,22	4,0	7,3
300	0,25	5,1	9,5
300	0,30	7,2	13,0
300	0,30	7,2	13,0





This line is recommended for feeder and carp fishing. It has a medium sink rate, high abrasion resistance and very low surface friction that assists with long range casting and minimal damage.

Length (m)	Diameter (mm)	Breaking Strain (kg)
500	0,20	5,1
500	0,22	6,5
500	0,25	8,2
500	0,30	11,2







Fine-woven, quiet, moderately soft-braided fishing line with high tensile strength, wear-resistant surface and zero elongation. Thanks to its thin, special coating, it slides quietly and easily between the rings. Thus, it allows longer casts for spinning anglers even with lighter baits.

Length (m)	Diameter (mm)	Breaking Strain (kg)
100	0,10	5,8
100	0,12	6,9
100	0,15	8,7
100	0,18	11,4
100	0,20	14,2

## Cralusso latest development, SP NAVIGATOR line family





The **Navigator** Feeder fishing line provides great opportunities for both carp and feeder anglers. Short and long range distances, features and clipping up points are easily identified and there is no problem if you use two or more rods. The line is marked every 5m and this will assist you to fish accurately at the same distance. Please look at the diagram and further information can be found on our webpage. This line was developed in accordance with the requirements of high profile carp and feeder anglers - it is extremely strong, has a medium sink rate, possesses high tensile strength with low stretch and is an easily managed.

**THE SOLUTION:** The QSP system which is only provided by Cralusso! It will help to avoid the need for multiple attempts at filling spools accurately. You will find the description on page 30 and further information on our webpage.

QSP	QR CODE	
Π÷	885 ET	
53		
را لند	Mar Na To	

Length (m)	Diameter (mm)	Breaking Strain (kg)
200	0,18	4,40
200	0,20	5,51
200	0,22	6,90
200	0,25	8,60

Első 20 m jelöletlen 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100 105 m

Navigator Feeder 200 m



Fluoro carbon is being nealy invisible in water and this 100% fluoro carbon exceeds all expectations. It has a low stretch and fast sinking rate.

Length (m)	Diameter (mm)	Breaking Strain (kg)
30+10	0,14	1,92
30+10	0,16	2,52
30+10	0,18	3,09
30+10	0,20	3,90
30+10	0,22	5,06
30+10	0,25	6,12
30+10	0,30	7,55
30+10	0,40	14,55
30+10	0,50	20,24







### Big Fish Pro Line





Fishing line developed for catching big fish, whether it's a predator or a silver carp, it withstands extreme conditions. This colorless fishing line can also be used as hooklength line, thanks to its high tensile strength, knot resistance, and resistance to surface damage. Suitable for both freshwater and saltwater fishing.

Length (m)	Diameter (mm)	Test (Kg)
300	0,50	21,7
300	0,60	30,5
250	0,70	39,6

#### **CARPower** feeder GUM





Recommend to the following line thicknesses:

Length (m)	Diameter(mm)	Monofil	Braided (mm)
10	0,65	0,12-0,18	0,06-0,10
10	0,80	0,18-0,25	0,10-0,16
10	1,00	0,25-0,35	0,16-0,22





#### Hooks

OIL Sode Light 2401 Flatted - Forged - Round Slim stemmed easy hook 16 14 12 10 8 Size 18 6 Hooklength 0,20 0,10-0,11 0,11-0,12 0,12 0,13 0,14 0,14 0,16 0,18 Weight (gr) 0,004 0,005 0,008 0,012 0,017 0,023 0,05 0,09 0,12


Diameter (mm) 0,27 0,28 0,33 0,37 0,41 0,49 0,57 0,72 0,76 Pcs/bag 14 14 16 16 16 16 14 14 14 O Chika 2405

Flatted - Round





Koaji Round 2410 Koaji Round Brass 2411 Flatted - Round 14 12 Size 16 10 8 Hooklength Line Sett & Strong 0,14 0,14-0,15 0,16 0,10-0,11 0,12 Weight (gr) 0,009 0,016 0,023 0,036 0,049 Diameter (mm) 0,41 0,46 0,54 0,60 0,33




Shin Aji			2415	
Flatted – Large Forged				
	$\cup$	$\bigcup$		$\bigcup$
Size	11	9	7	5
Rooklength Line Soft & Strong	0,18	0,20	0,25	0,30
KTREME	0,10	0,12	0,16	0,18
Weight (gr)	0,045	0,066	0,094	0,14
Diameter (mm)	0,57	0,64	0,72	0,81
Pcs/bag	11	10	9	8





#### Hooks





#### SB Chinu

2430

Double (one normal and one micro) edge point

- Flatted - Forged and Curved

Size	10	8	6	4	2
Hooklength Line Soft & Strong	0,20	0,22	0,25	0,30	0,32-0,35
<b>X</b> TREME	0,12-0,14	0,14	0,16	0,18	
Weight (gr)	0,049	0,061	0,077	0,134	0,2
Diameter (mm)	0,6	0,68	0,72	0,86	0,99
Pcs/bag	10	10	9	9	7





#### Delta Chinu

Size Hooklength

TREME Weight (gr)

Pcs/bag

Size

Hooklength

Weight (gr)

Diameter (mm)

TREME

Pcs/bag

2435

Triple edge point - Trust Grip - Forged and Curved

0,6

0,10

0,063

0,6

14

10	8	6	4	2
0,18	0,20	0,22-0,25	0,25-0,30	0,30-0,35
0,10	0,12-0,14	0,14-0,16	0,16-0,18	
0,048	0,070	0,084	0,137	0,198

0,72

8






#### Chinu W/Ring

With PTFE coat

Diameter (mm)



8

0,12-0,1

0,082

0,68

14

7	
8	

0,68

8



0,86

7



0,99

6



2	4	4	0

	6	4	2
	0,22-0,25	0,25-0,30	0,30-0,35
4	0,14-0,16	0,16-0,18	0,18
	0,10	0,15	0,23
	0,72	0,86	0,99
	13	12	10

# CRALUSS O

#### Hooks


Chi	nu		244	<b>5</b>	(
Brass					
Size	12	11	10	8	6
Hooklength Line selt & Strong	0,18	0,20	0,22-0,25	0,25-0,30	0,30-0,35
XTREME	0,10	0,12-0,14	0,14-0,16	0,16-0,18	0,18
Weight (gr)	0,031	0,039	0,048	0,066	0,079
Diameter (mm)	0,6	0,68	0,72	0,86	0,99
Pcs/bag	14	14	14	14	14



Method			2446	
Brass	S	5		
Size	12	10	8	6
Rooklength Line Soft & Strong	0,20	0,22	0,25	0,30
<b>XTREME</b>	0,14	0,16	0,18	0,18
Weight (gr)	0,032	0,056	0,079	0,092
Diameter (mm)	0,6	0,70	0,78	0,89
Pcs/bag	10	10	10	10



Method Barbless			2447	
Brass	S	5	5	
Size	12	10	8	6
Hooklength Line Soft & Strong	0,20	0,22	0,25	0,30
<b>X</b> TREME	0,14	0,16	0,18	0,18
Weight (gr)	0,032	0,056	0,079	0,092
Diameter (mm)	0,6	0,70	0,78	0,89
Pcs/bag	10	10	10	10



Maruseigo			2450			1		6
With PTFE coat								
Size	14	12	10	8	6	4	2	
Hooklength Line Soft & Strong	0,20	0,22	0,28	0,35	0,40	0,40	0,45	
XTREME	0,12-0,14	0,14	0,16-0,18					
Weight (gr)	0,031	0,048	0,071	0,104	0,156	0,236	0,367	
Diameter (mm)	0,6	0,68	0,72	0,86	0,99	1,06	1,13	
Pcs/bag	12	11	11	10	9	8	7	



Gripper Carp		2455	
With PTFE coat			
Size	8	6	4
Recommended max.line strength	18 lb	20 lb	22 lb
Weight (gr)	0,18	0,24	0,29
Diameter (mm)	0,94	0,98	1,10
Pcs/bag	8	8	8



#### Hooks

Boilie Carp	2460

#### With PTFE coat

Size	8	6	4
Recommended max.line strength	17 lb	24 lb	30 lb
Weight (gr)	0,092	0,145	0,224
Diameter (mm)	0,78	0,89	1,03
Pcs/bag	8	8	8



#### Anti Snag

2465

#### OI

#### With PTFE coat

Size	8	6	4	2
Recommended max.line strength	18 lb	23 lb	34 lb	37 lb
Weight (gr)	0,17	0,22	0,37	0,40
Diameter (mm)	0,98	1,03	1,22	1,26
Pcs/bag	8	8	8	8



OI

#### **CARPower**

24/(	
------	--

With	ı PTFE	coat
------	--------	------

Size	14	12	10	8	6	4	2
Recommended max. Monofil line	0,20	0,22	0,25	0,28	0,32	0,35	0,38
Recommended max. braided line	0,12	0,14	0,16	0,18	0,20	0,20	0,22
Weight (gr)	0,028	0,03	0,043	0,054	0,092	0,131	0,23
Diameter (mm)	0,48	0,52	0,62	0,75	0,85	0,951	1,06
Pcs/bag	12	12	12	12	12	12	10
1 03/ 549	12	12	12	12	12	12	10



#### **CARPmagnet Barbless**

2472







Hooklength Line Soft & Strong
TREME
Weight (gr)
Diameter (


	$\cup$	$\cup$			
Size	12	10	8	6	4
Rooklength Line Soft & Strong	0,22	0,25	0,28	0,30	0,35
KTREME	0,14	0,16	0,18	0,2	0,22
Weight (gr)	0,049	0,075	0,093	0,107	0,167
Diameter (mm)	0,64	0,72	0,76	0,81	0,92
Pcs/bag	12	12	12	12	12



#### Zander-worm

2480









Rolling swivel, black	2109				
~=	2 2	Size	Test	Weight	Pcs/bag
	0 0-0	3/0	100 kg	1,82 gr	3 pcs
0.7	o O₩O	2/0	75 kg	1,28 gr	4 pcs
	3 ~-~	1/0 2	60 kg 43 kg	0,90 gr	5 pcs
	0=0	4	35 kg	0,53 gr 0,33 gr	6 pcs 8 pcs
	2	6	30 kg	0,19 gr	12 pcs
	0=0	8	19 kg	0,12 gr	12 pcs
0.57	-	10	14 kg	0,07 gr	12 pcs
<u> </u>	<b>→</b>	12	9 kg	0,06 gr	12 pcs
Golden swivel	2110				
		Size	Test	Weight	Pcs/bag
Exclusive design	$\bigcirc \Longrightarrow \bigcirc$	3	40 kg	0,41 gr	10 pcs
	000	5	32 kg	0,25 qr	12 pcs
	000	7	22 kg	0,13 gr	12 pcs
	000	10	14 kg	0,07 gr	12 pcs
	0=0	14	4 kg	0,04 gr	12 pcs
Rhombus swivel	2111				
		Size	Test	Weight	Pcs/bag
	000	5	27 kg	0,25 gr	12 pcs
~~~	080	7	19 kg	0,23 gr	12 pcs
	080	10	9 kg	0,07 gr	12 pcs
	080	12	6 kg	0,06 gr	12 pcs
	080	14	4 kg	0,04 gr	12 pcs
Double swivel	2112				
Double Swivet	2112	C:	Took	Waiaht	Dag/hag
	0==0	Size	Test	Weight	Pcs/bag
0.770	0000	5 7	32 kg 22 kg	0,44 gr	12 pcs
	0000	10	14 kg	0,25 gr 0,13 gr	12 pcs 12 pcs
<b></b>	0000	12	8 kg	0,13 gr	12 pcs
	0000	14	4 kg	0,09 gr	12 pcs
Triple speed swivel	2113		g	2,22 g.	
Triple speed swivet		Size	Test	Weight	Pcs/bag
	0===0	7	22 kg	0,23 gr	12 pcs
	0===0	10	14 kg	0,112 gr	12 pcs
0	0===0	12	8 kg	0,10 gr	12 pcs
	00000	14	4 kg	0,062 gr	12 pcs
Triple chain swivel	2114				
mpte cham swivet		Size	Test	Weight	Pcs/bag
0000000	0-0-0-0	7	22 kg	0,23 gr	12 pcs
	0=0=0=0	10	14 kg	0,112 gr	12 pcs
	0=0=0=0	14	4 kg	0,062 gr	12 pcs
Swivel & safety snap	2115		- J	,,,, <u>,</u>	
Swivet & safety shap		C:	Took	Mainlet	Dag/bag
	000	Size	Test 9 kg	Weight	Pcs/bag
	000	5		0,40 gr	12 pcs
	000	7 10	7 kg 5 kg	0,23 gr 0,14 gr	12 pcs 12 pcs
services and the service and t	000	14	3 kg	0,14 gr	12 pcs
	0446	± T	J Ng	0,±0 gi	12 pc3
Crano cuival with intarlact as	111 7116				
Crane swivel with interlock sr		Sizo	Test	Wajaht	Pcc/hag
Crane swivel with interlock sr	1ap 2116	Size	Test 18 kg	Weight	Pcs/bag 10 ncs
Crane swivel with interlock sr		2	18 kg	0,52 gr	10 pcs
Crane swivel with interlock sr	000		18 kg 14 kg	0,52 gr 0,38 gr	10 pcs 12 pcs
Crane swivel with interlock sr		2 4	18 kg 14 kg 12 kg	0,52 gr 0,38 gr 0,26 gr	10 pcs 12 pcs 12 pcs
Crane swivel with interlock sr	000	2 4 6	18 kg 14 kg	0,52 gr 0,38 gr	10 pcs 12 pcs
		2 4 6 8	18 kg 14 kg 12 kg 10 kg	0,52 gr 0,38 gr 0,26 gr 0,16 gr	10 pcs 12 pcs 12 pcs 12 pcs 12 pcs
Double rolling swievel with	2150	2 4 6 8 10	18 kg 14 kg 12 kg 10 kg 9 kg	0,52 gr 0,38 gr 0,26 gr 0,16 gr 0,12 gr	10 pcs 12 pcs 12 pcs 12 pcs 12 pcs 12 pcs
		2 4 6 8 10	18 kg 14 kg 12 kg 10 kg 9 kg	0,52 gr 0,38 gr 0,26 gr 0,16 gr 0,12 gr Weight	10 pcs 12 pcs 12 pcs 12 pcs 12 pcs 12 pcs
Double rolling swievel with	2150	2 4 6 8 10 Size 6	18 kg 14 kg 12 kg 10 kg 9 kg Test 12 kg	0,52 gr 0,38 gr 0,26 gr 0,16 gr 0,12 gr Weight 0,43 gr	10 pcs 12 pcs 12 pcs 12 pcs 12 pcs 12 pcs Pcs/bag 6 pcs
Double rolling swievel with	2150	2 4 6 8 10	18 kg 14 kg 12 kg 10 kg 9 kg	0,52 gr 0,38 gr 0,26 gr 0,16 gr 0,12 gr Weight	10 pcs 12 pcs 12 pcs 12 pcs 12 pcs 12 pcs



Size	Swivel with hooked snap	2117				
Size   Test   Weight   Pcs/bag   6   1.3 gr   1.2 pcs		0000				
10	2-0-0	0000				
Ball bearing swivel with snap  2118    Size   Test   Weight   Pcs/bag   0,52 gr   6 pcs   6 pcs   2   25 kg   0,76 gr   12 pcs   2   25 kg   0,26 gr   12 pcs   2   25 kg   0,26 gr   12 pcs   2   2   2   2   2   2   2   2   2		0				
Size   Test   Weight   Pcs/bag   O,32 gr   6 pcs   0   12 kg   0,32 gr   6 pcs   1   18 kg   0,52 gr   6 pcs   2   25 kg   0,76 gr   2 pcs   2   2 p						
Size	5 11 1 1 1 1 1 1	000000000000			,,,,,	,
0	Ball bearing swivel with snap	2118				
1   18 kg   0,26 gr   6 pcs   2   25 kg   0,76 gr   6 pcs   35 kg   1,60 gr   6 pcs   4   35 kg   1,60 gr   6 pcs   5 wing coastlock snap   2119		000				
2   25 kg   1,60 gr   6 pcs	000	000				
Swing coastlock snap	(7-7)	Oco to				
Swing coastlock snap   2119   Size   Test   Weight   Pcs/bag   6   30 kg   0.32 gr   12 pcs   8   19 kg   0.20 gr   12 pcs   12   9 kg   0.08 gr   12 pcs   12   12   12   12   12   12   12   1						
Size		000	4	35 Kg	1,60 gi	o pes
6 30 kg 0,20 gr 12 pcs 10 14 kg 0,12 gr 12 pcs 11 9 kg 0,20 gr 12 pcs 11 9 kg 0,20 gr 12 pcs 12 9 kg 0,08 gr 12 pcs 12 9 kg 0,08 gr 12 pcs 12 9 kg 0,08 gr 12 pcs 13 9 kg 0,26 gr 12 pcs 14 kg 0,12 gr 12 pcs 15 kg 0,56 gr 6 pcs 4 35 kg 0,56 gr 6 pcs 6 30 kg 0,32 gr 6 pcs 6 30 kg 0,32 gr 6 pcs 8 19 kg 0,18 gr 6 pcs 1 3 gr 3 pcs 10 0,57 gr 6 pcs 10 0,57 gr 10 pcs 10 0 0 y kg 0,43 gr 12 pcs 10 0 0 y kg 0,43 gr 12 pcs 10 0 0 y kg 0,04 gr 12 pcs 10 0 10 kg 0,14 gr 12 pcs 11 20 kg 0,04 gr 12 pcs 12 20 kg 0,08 gr 12 pcs 12 28 kg 0,13 gr 12 pcs	Swing coastlock snap	2119				
Side-line rolling swivel   2120   Size		0-	Size		Weight	Pcs/bag
10	~=-	<u></u>	6			
12   9 kg   0,08 gr   12 pcs		<u></u>				
Side-line rolling swivel   Size		<u>~</u>				
Size		~ <del>~</del>	12	9 kg	0,08 gr	12 pcs
Size	Side-line rolling swivel	2120				
2	, and the second second	0.004000	Size	Test	Weight	Pcs/baq
Corner plate swivel   Corner plate swivel						, ,
Size   Weight   Pcs/bag   3 pcs   3		0-8-4-80	4	35 kg	0,56 gr	6 pcs
Size   Weight   Pcs/bag   3 pcs   3		0=-40				6 pcs
Size   Weight   Pcs/bag   3 pcs   8   0,94 gr   3 pcs   3 pcs   10   0,57 gr   6 pcs   10   0,26 gr   6 pcs   10   0,26 gr   6 pcs   10   0,23 gr   6 pcs   10   0,26 gr   10 10   0,26 g		0-0-460	8	19 kg	0,18 gr	6 pcs
Size   Weight   Pcs/bag   3 pcs   8   0,49 drg   3 pcs   3 pcs   10   0,57 gr   3 pcs   3 pcs   10   0,57 gr   3 pcs   3 pcs   10   0,57 gr   6 pcs   10   0,26 gr   6 pcs   10   0,26 gr   6 pcs   10   0,26 gr   6 pcs   10   0,23 gr   6 pcs   10   0,26 gr   10   0,26 gr   10   0,26 gr   10   0,27 gr	Corner plate swivel	2121				
Brass Head Safety Snap   2122   Size   Weight   Pcs/bag   S   0,17 gr   6 pcs   M   0,26 gr   6 pcs   M   0,23 gr   12 pc	Ø.	0	Size	Weight	Pcs/bag	
Brass Head Safety Snap   2122   Size   Weight   Pcs/bag   S   0,17 gr   6 pcs   M   0,26 gr   6 pcs   M   0,26 gr   6 pcs   S   0,15 gr   6 pcs   M   0,23 gr   10 pcs   10 pcs	1	ď	6			
Size   Weight   Pcs/bag   S   O,17 gr   6 pcs   M   O,26 gr   6 pcs   M   O,26 gr   6 pcs   M   O,26 gr   6 pcs   M   O,23 gr   6 pcs   O   O   O   O   O   O   O   O   O						
Size   Weight   Pcs/bag   S   0,17 gr   6 pcs   M   0,26 gr   6 pcs   M   0,26 gr   6 pcs   S   0,15 gr   6 pcs   S   0,15 gr   6 pcs   M   0,23 gr   6 pcs   1,20 gr   6 pcs   1,20 gr   1,	-	8	10	0,57 gr	3 pcs	
Size   Weight   Pcs/bag   S   0,17 gr   6 pcs   M   0,26 gr   6 pcs   M   0,26 gr   6 pcs   S   0,15 gr   6 pcs   S   0,15 gr   6 pcs   M   0,23 gr   6 pcs   1,20 gr   6 pcs   1,20 gr   1,	A	· °				
Size   Weight   Pcs/bag   S   0,17 gr   6 pcs   M   0,26 gr   6 pcs   M   0,26 gr   6 pcs   S   0,15 gr   6 pcs   S   0,15 gr   6 pcs   M   0,23 gr   6 pcs   1,20 gr   6 pcs   1,20 gr   1,		0 10				
Size   Weight   Pcs/bag   S   0,17 gr   6 pcs   M   0,26 gr   6 pcs   M   0,26 gr   6 pcs   S   0,15 gr   6 pcs   S   0,15 gr   6 pcs   M   0,23 gr   6 pcs   M   0,24 gr   4 pcs   2/0   70 kg   1,84 gr   6 pcs   1   55 kg   1,06 gr   10 pcs   3   40 kg   0,67 gr   10 pcs   3   40 kg   0,67 gr   10 pcs   5   30 kg   0,43 gr   12 pcs   7   15 kg   0,24 gr   12 pcs   10   10 kg   0,14 gr   12 pcs   10   10 kg   0,14 gr   12 pcs   10   10 kg   0,03 gr   12 pcs   10   12 kg   0,04 gr   12 pcs   10   12 kg   0,04 gr   12 pcs   10   12 kg   0,08 gr   12 pcs		00				
Size   Weight   Pcs/bag   S   0,17 gr   6 pcs   M   0,26 gr   6 pcs   M   0,26 gr   6 pcs	Brass Head Safety Snap	2122				
S		A	Size	Weight	Pcs/bag	
Plastic head swivel with interlock snap   2123   Size   Weight   Pcs/bag   S   0,15 gr   6 pcs   M   0,23 gr   6 pcs   M   0,24 gr   6 pcs   2/0   70 kg   1,84 gr   6 pcs   1   55 kg   1,06 gr   10 pcs   3   40 kg   0,67 gr   10 pcs   3   40 kg   0,67 gr   10 pcs   5   30 kg   0,43 gr   12 pcs   7   15 kg   0,24 gr   12 pcs   10   10 kg   0,14 gr   12 pcs   10   10 kg   0,14 gr   12 pcs   10   10 kg   0,03 gr   12 pcs   10   10 kg   0,04 gr   12 pcs   10   10 kg   0,04 gr   12 pcs   10   10 kg   0,04 gr   12 pcs   10   10 kg   0,08 gr   12 pcs   10   10 kg   0,08 gr   12 pcs   10   20 kg   0,03 gr   10   20 kg   0,03			S			
Size   Weight   Pcs/bag   S   0,15 gr   6 pcs   M   0,23 gr   6 pcs   M   6 pcs   M   6 pcs   6 pcs   M   6 pcs			M	0,26 gr		
Size   Weight   Pcs/bag   S   0,15 gr   6 pcs   M   0,23 gr   6 pcs   M   6 pcs   M   6 pcs   6 pcs   M   6 pcs	Disatis hand suited with interlants	2122				
S	riastic flead swivet with interlock s	olidh <b>21</b> 23	61	147.1	D (1	
M   0,23 gr   6 pcs		<b>6</b>				
Self-lock rotating snap   2124   Size   Test   Weight   Pcs/bag   4/0   90 kg   3,50 gr   4 pcs   2/0   70 kg   1,84 gr   6 pcs   1   55 kg   1,06 gr   10 pcs   3   40 kg   0,67 gr   10 pcs   5   30 kg   0,43 gr   12 pcs   7   15 kg   0,24 gr   12 pcs   10   10 kg   0,14 gr   12 pcs   10   10 kg   0,14 gr   12 pcs   10   10 kg   0,03 gr   12 pcs   0   12 kg   0,04 gr   12 pcs   1   20 kg   0,08 gr   12 pcs   1   20 kg   0,08 gr   12 pcs   2   28 kg   0,13 gr   12 pcs   12 pcs   12 pcs   12 pcs   12 pcs   12 pcs   13 pcs   14 pcs   15 p						
4/0   90 kg   3,50 gr   4 pcs			ΙVΙ	0,23 gr	o pcs	
4/0   90 kg   3,50 gr   4 pcs	Self-lock rotating snan	212/	Size	Test	Weight	Pcs/bag
2/0	Jeli-lock rotating snap	L124				
1		000		70 kg	1,84 gr	6 pcs
Size   Test   Weight   Pcs/bag			1	55 kg	1,06 gr	10 pcs
To   15 kg   0,24 gr   12 pcs   10   10 kg   0,14 gr   12 pcs   10   10 kg   0,14 gr   12 pcs   12 pcs   10   10 kg   0,14 gr   12 pcs	-a					
Hooked snap  2125  Size Test Weight Pcs/bag 00 9 kg 0,03 gr 12 pcs 0 12 kg 0,04 gr 12 pcs 1 20 kg 0,08 gr 12 pcs 2 28 kg 0,13 gr 12 pcs		0000				
Hooked snap  2125  Size  Test  Weight  Pcs/bag  00  9 kg  0,03 gr  12 pcs  0  12 kg  0,04 gr  12 pcs  1  20 kg  0,08 gr  12 pcs  2  28 kg  0,13 gr  12 pcs						
00 9 kg 0,03 gr 12 pcs 0 12 kg 0,04 gr 12 pcs 1 20 kg 0,08 gr 12 pcs 2 28 kg 0,13 gr 12 pcs			10	10 kg	0,14 gr	12 pcs
00 9 kg 0,03 gr 12 pcs 0 12 kg 0,04 gr 12 pcs 1 20 kg 0,08 gr 12 pcs 2 28 kg 0,13 gr 12 pcs	Hooked snan	2125	Size	Test	Weight	Pcs/baq
0 12 kg 0,04 gr 12 pcs 1 20 kg 0,08 gr 12 pcs 2 28 kg 0,13 gr 12 pcs	Houkeu shap	L1L3				
1 20 kg 0,08 gr 12 pcs 2 28 kg 0,13 gr 12 pcs				12 kg	0,04 gr	
	~ / / ~	2	1	20 kg	0,08 gr	12 pcs
3 35 kg 0,20 gr 12 pcs	( ) ~	2				
	0	$\sim$	3	35 kg	0,20 gr	12 pcs



Rolling swivel with nice snap

2127





000

Size	Test	Weight	Pcs/bag
4/0	70 kg	2,05 gr	4 pcs
2/0	44 kg	1,45 gr	6 pcs
1	38 kg	0,92 gr	10 pcs
3	33 kg	0,68 gr	12 pcs
5	27 kg	0,44 gr	12 pcs
7	20 kg	0,27 gr	12 pcs
10	12 kg	0,13 gr	12 pcs

Quick snap with fixing tube

2128





0	~
0-	~

Size	Pcs/bag
6	6 pcs
8	6 pcs

Safety lead snap kit

2130

2x6 pcs/bag






Swivel with pearl beads and rubber stopper

and 2129

Pcs/bag 2×4 pcs



2131


















Size Pcs/bag	
Size Pcs/bag 8 6 pcs	
10 6 pcs	
12 6 pcs	
14 6 pcs	



Rolling quick snap

2134





Size	Test	Weight	Pcs/bag
8	9 kg	0,16 gr	6 db
10	7 kg	0,1 gr	6 db
12	5 kg	0,06 gr	6 db
14	3 kg	0,04 gr	6 db

Feeder quick snap

2133





Soft beads

2141

1,2×6mm 8 pcs/bag



Method power quick snap

2137

Most powerful method snap



Size	Test	Weight	Pcs/bag
8	9 kg	0,36 gr	6 db

#### Swivel with side line clip

2135





Size	Test	Weight	Pcs/bag
8	14 kg	0,20 gr	12 pcs
10	9 kg	0,12 gr	12 pcs
12	4 kg	0,08 gr	12 pcs

Double quick snap swivel

2136



Size	Test	Weight	Pcs/bag
8	9 kg	0,24 gr	6 db
10	7 kg	0,15 gr	6 db
12	5 kg	0,1 gr	6 db
14	3 kg	0,06 gr	6 db

Not-A-Knot swivel

2146

XXL 40 kg 6 pcs/bag









#### Pop up, Fluo mini boilie

Code	Size	Weight	Flavor
2665	10 mm	40 gr	Fluo pineapple
2666	10 mm	40 gr	Chocolate-mango
2678	12 mm	40 gr	Fluo pineapple






#### Pop up white mini boilie

Code	Size	Weight	Flavor
2680	8 mm	20 gr	Garlic
2685	8 mm	20 gr	N-Butyric acid
2690	12 mm	40 gr	Garlic
2695	12 mm	40 gr	N-Butyric acid





#### Ready to go mini boilie



No need to bother anymore with mounting, just hang up the balanced hooklength into the method snap from the box. The hook and the bait size, thickness of hooklength and balance lead harmonize with each other what is one of the main part of successful fishing. Contains one prepared hooklength per box.

40 gr

Fluo pineapple - Pop up

2767

12 mm





# Award-winning environmentally friendly, Jelly Corn degradable hook baits.





Baits made from food-grade raw materials.

Developed from materials tested by the Department of Aquaculture at Szent István University, new generation flexible hook baits are digestible for fish. The box contains several sizes of natural-shaped corn, shell snail baits that are flavored, capable of absorbing and releasing aroma and color. They can be used on hooks, bait spikes or boilie stoppers. After use, close the boxes as the material can dry out, but when placed in water, aroma or brandy, they swell again.

Code	Colour	Flavor	Pcs/bag
2505	yellow	Pineapple	30 pcs
2506	red	Strawberry	30 pcs
2507	orange	chocolate-orange	30 pcs
2519	yellow	Mango	30 pcs
2520	white	N-butyric acid	30 pcs
2522	yellowish green	Garlic	30 pcs
2523	green	brandy corn	30 pcs
2524	hrown	hazelnut	30 ncs

Scientists estimate that for conventional plastic corn baits it takes about 500 years to decompose!

LET'S PROTECT THE ENVIRONMENT AND FISH!








Code	Flavor	Pcs/bag
2550	fish	12 pcs
2551	liver	12 pcs
2552	shell	12 pcs



## -FISHING-MASTER

#### Aroma spray

	Code	Flavor	L. measure
	2850	Fluo pineapple	50 ml
	2855	Strawberry	50 ml
	2865	Garlic	50 ml
NEV	2871	Mango	50 ml
	2875	Squid, octopus	50 ml
		E!	
	Code	Flavor	maacura









## -FISHING-MASTER-

#### Method gel

Code 2880 2881 2883 2884 2885	Flavor Fluo pineapple Strawberry Garlic Fluo squid octopus Mango	Weight 100 gr 100 gr 100 gr 100 gr 100 gr				
				Mango Method gel	FISHING MASTER	Fluo squid octopus Method led
	Fluo pineapple Method yel	FISHING MASIEE Strawberry Method gel	Strawberry		Garlic Method gel	NE MASTER O squid ctopus







## Feeder Basket



#### Method basket plated

(packing bag)





3210

3205

Code	Weight	Pcs/bag
3205-20	20 gr	2 pcs
3205-25	25 gr	2 pcs
3205-30	30 gr	2 pcs

Method basket stemed

(packing bag)

Code	Weight	Pcs/bag
3210-20	20 gr	2 pcs
3210-25	25 gr	2 pcs
3210-30	30 gr	2 pcs





3250

Eco method basket set

Set:

EXC method feeder 20 g - 1 pcs

EXC method feeder 30 g - 1 pcs

EXC method modul - 1 pcs

Rolling swivel 10 - 2 pcs

Aerowinged basket

3280

(packing bag)



Code	Weight	Pcs/bag
3280-20	20 gr	2 pcs





#### Feeder Basket

3295

3298



CRALUSSO

3296


3297

Pop-up feeder basket fix



The pop-up feeder basket weighs only 2 grams. Filled with feed, it sinks to the bottom and stays there until much of the feed is dissolved. Thereafter, its light buoyancy brings it slowly towards the surface, 'scanning' through the entire water column. Takes may be expected in multiple phases, either in midwater, with the bait sinking slowly together with the basket, or lying on the bottom, but often it is the bait rising up to midwater that triggers an intensive take. The speed of sinking or rising can be controlled thanks to the adjustable design.

Pop-up feeder basket adjustable



Zero Weightless Feeder basket

Slow Sinking Method basket 15 gr

For midwater fishing Watch the YouTube video!



Slow Sinking Method basket + charger 3299






New generation method baskets and fillers

A unique innovation: patented Cralusso method baskets with longitudinal ribs. Thanks to its special design the hook is less likely to become attached to the

longitudinal ribs and it perfectly retains the feed as long as necessary and quickly releases it in the water. With its centre of gravity close to its front end it is particularly suitable for long and accurate throws. You can replace your feeder basket with one of a different size simply and quickly, without having to take apart your tackle.





	Code	Weight	Pcs/bag
	3300-30	30 gr	1 pcs
	3300-40	40 gr	1 pcs
	3300-50	50 gr	1 pcs
W	3300-60	60 gr	1 pcs
	3300-70	70 gr	1 pcs



## Feeder baskets





Rocket method basket

3305





Code	Weight	Pcs/bag
3305-30	30 gr	1 pcs
3305-40	40 gr	1 pcs
3305-50	50 gr	1 pcs
3305-60	60 gr	1 pcs
3305-70	70 gr	1 pcs

3306

Plastic-free packaging

	-/	
>		X

Code	Weight	
3306-30	30 gr	Fluo Green Rocket Method basket
3306-40	40 gr	Fluo Green Rocket Method basket
3306-50	50 gr	Fluo Green Rocket Method basket
3306-60	60 gr	Fluo Green Rocket Method basket

Orange Rocket Method basket

3307

Plastic-free packaging



Code	Weight	
3307-30	30 gr	Orange Rocket Method basket
3307-40	40 gr	Orange Rocket Method basket
3307-50	50 gr	Orange Rocket Method basket
3307-60	60 gr	Orange Rocket Method basket

Pink Rocket Method basket

3308

Plastic-free packaging



Code	Weight	
3308-30	30 gr	Pink Rocket Method basket
3308-40	40 gr	Pink Rocket Method basket
3308-50	50 gr	Pink Rocket Method basket
3308-60	60 gr	Pink Rocket Method basket

Crystal Rocket Method basket

3309

Plastic-free packaging



Code	Weight	
3309-30	30 gr	Crystal Rocket Method basket
3309-40	40 gr	Crystal Rocket Method basket
3309-50	50 gr	Crystal Rocket Method basket
3309-60	60 gr	Crystal Rocket Method basket

Method basket stem set

5 pcs/bag





# DOUBLE CHANCE method, a unique Innovation for catching more fish!



#### **Duble Chance Method basket**

3315




Code	Weight	Pcs/bag
3315-30	30 gr	1 pcs
3315-40	40 gr	1 pcs
3315-50	50 gr	1 pcs
3315-70	70 gr	1 pcs

The Double Chance Method basket is Cralusso's latest, unique development. Use the newly developed basket for even more successful fishing! Two baits, of different flavours and buoyancies can be presented simultaneously to find the day's winner bait. When you pull out your rig after an unfinished or a missed take and check the hooklength (long one, see the drawing), you'll see which bait attracted the fish. While playing a hooked fish the other hook safely retracts into the basket tube – to keep the fish from being harmed and avoid getting the hook caught in rocks or vegetation in the water.





















8-10 cm











## Method packages



#### Sensitive package

3360



Rocket package

3365



Code	Weight	Pcs/bag
3365-30	30 gr	2 pcs
3365-40	40 gr	2 pcs
3365-50	50 gr	2 pcs
3365-70	70 gr	2 pcs

# Code Weight Pcs/bag 3360-30 30 gr 2 pcs 3360-40 40 gr 2 pcs 3360-50 50 gr 2 pcs 3360-70 70 gr 2 pcs

Double Chance Method basket package



Code	Weight	Pcs/bag
3375-30	30 gr	2 pcs
3375-40	40 gr	2 pcs
3375-50	50 gr	2 pcs
3375-70	70 gr	2 pcs





## Method set



#### Sensitive set


3400



Rocket set 3405



	Code	Weight	Pcs/bag
	3405-30	30 gr	2+1 pcs
	3405-40	40 gr	2+1 pcs
	3405-50	50 gr	2+1 pcs
NE	W 3405-60	60 gr	2+1 pcs
	3405-70	70 gr	2+1 pcs



## Double Chance Method basket set



Weight	Pcs/bag
30 gr	2+1 pcs
40 gr	2+1 pcs
50 gr	2+1 pcs
70 gr	2+1 pcs
	30 gr 40 gr 50 gr





## Method set







#### Rocket method set

3420

Code	Weight	
3420-30	30 gr	Fluo green basket + Charger
3420-40	40 gr	Fluo green basket + Charger
3420-50	50 gr	Fluo green basket + Charger
3420-60	60 gr	Fluo green basket + Charger

Plastic-free packaging



Rock	et	method s	set

Code	Weight	
3421-30	30 gr	Orange basket + Charger
3421-40	40 gr	Orange basket + Charger
3421-50	50 gr	Orange basket + Charger
3421-60	60 gr	Orange basket + Charger

Plastic-free packaging



#### Rocket method set

3422

3421

Code	Weight	
3422-30	30 gr	Pink basket + Charger
3422-40	40 gr	Pink basket + Charger
3422-50	50 gr	Pink basket + Charger
3422-60	60 gr	Pink basket + Charger

Plastic-free packaging

CRAI	rnzzd
	Method Set
30g) 40g) 50g)	Professional Innovation

www.cralusso.com

Rocket method	set	3323

Code	Weight	
3423-30	30 gr	Crystal basket + Charger
3423-40	40 gr	Crystal basket + Charger
3423-50	50 gr	Crystal basket + Charger
3423-60	60 gr	Crystal basket + Charger

Plastic-free packaging



## Big Rocket method bascets





The larger version of the popular Rocket method basket can accommodate 30% larger amount of feed. It is especially important for long-distance fishing and frequently installed waters.

3430

Plastic-free packaging



Code	Weight	
3430-30	30 gr	Big Rocket method basket khaki
3430-40	40 gr	Big Rocket method basket khaki
3430-50	50 gr	Big Rocket method basket khaki
3430-70	70 gr	Big Rocket method basket khaki

Big Rocket method basket

3431

Plastic-free packaging

Code	Weight	
3431-30	30 gr	Big Rocket method basket chrystal
3431-40	40 gr	Big Rocket method basket chrystal
3431-50	50 gr	Big Rocket method basket chrystal
3431-70	70 gr	Big Rocket method basket chrystal



Big Rocket method basket

3432

Plastic-free packaging

Code	Weight	
3432-30	30 gr	Big Rocket method basket white
3432-40	40 gr	Big Rocket method basket white
3432-50	50 gr	Big Rocket method basket white
3432-70	70 gr	Big Rocket method basket white



Big Rocket method basket

3436

Plastic-free packaging

	Code	Weight	
١	3436-30	30 gr	Big Rocket method basket fluo green
	3436-40	40 gr	Big Rocket method basket fluo green
	3436-50	50 gr	Big Rocket method basket fluo green
	3436-70	70 gr	Big Rocket method basket fluo green





## Big Rocket method sets





#### Big Rocket method set 3433

Code	Weight	
3433-30	30 gr	khaki basket + charger
3433-40	40 gr	khaki basket + charger
3433-50	50 gr	khaki basket + charger
3433-70	70 gr	khaki basket + charger

Plastic-free packaging

	CRALUSS O	)
	Big Rocket Method Set	
	□ 50g) □ 40g) □ 50g) □ 60g) □ 70g)	Professional Innovation
		2
d	www.cralusso.com	

Ria Pockat	mothod	cot	3434
Big Rocket	methou	ser	3434

Code	Weight	
3434-30	30 gr	chrystal basket + charger
3434-40	40 gr	chrystal basket + charger
3434-50	50 gr	chrystal basket + charger
3434-70	70 gr	chrystal basket + charger

Plastic-free packaging



#### Big Rocket method set 3435

Code	Weight	
3435-30	30 gr	white basket + charger
3435-40	40 gr	white basket + charger
3435-50	50 gr	white basket + charger
3435-70	70 gr	white basket + charger

Plastic-free packaging

$\times$ $\rangle$	X	X	X	X
Big Rocl	ket metho	od set		3437
Code	Weight			
2/2/ 20	20	CI		

Code	Weight		
3434-30	30 gr	fluo green basket + charger	
3434-40	40 gr	fluo green basket + charger	
3434-50	50 gr	fluo green basket + charger	
3434-70	70 gr	fluo green basket + charger	

Plastic-free packaging





### Small Rocket method baskets

#### Small Rocket method baskets

3440

#### Plastic-free packaging

Code	Weight	
3440-25	25 gr	khaki Small Rocket method basket
3440-30	30 gr	khaki Small Rocket method basket
3440-40	40 gr	khaki Small Rocket method basket
3440-50	50 gr	khaki Small Rocket method basket



#### Small Rocket method baskets

3442

#### Plastic-free packaging

Code	Weight	
3442-25	25 gr	black Small Rocket method basket
3442-30	30 gr	black Small Rocket method basket
3442-40	40 gr	black Small Rocket method basket
3442-50	50 ar	black Small Rocket method basket



#### Small Rocket method baskets

3441

#### Plastic-free packaging

Code	Weight	
3441-25	25 gr	chrystal Small Rocket method basket
3441-30	30 gr	chrystal Small Rocket method basket
3441-40	40 gr	chrystal Small Rocket method basket
3441-50	50 gr	chrystal Small Rocket method basket



#### Small Rocket method set

3445 Small Rocket method set

2	/	4	_
-≺	<b>/</b> 1	<b>/</b> 1	n
	┰	_	v

Small Rocket method set 34

Code	Weight	
3445-25	25 gr	khaki basket + charger
3445-30	30 gr	khaki basket + charger
3445-40	40 gr	khaki basket + charger
3445-20	50 gr	khaki basket + charger

		1//////
Code	Weight	
3446-25	25 gr	chrystal basket + charge
3446-30	30 gr	chrystal basket + charge
3446-40	40 gr	chrystal basket + charge
3446-20	50 gr	chrystal basket + charger

Code	Weight	
3447-25	25 gr	black basket + charger
3447-30	30 gr	black basket + charger
3447-40	40 gr	black basket + charger
3447-20	50 gr	black basket + charger









## Innovative openable method basket quick-fillers without the nuisance of feeding stuff sticking inside. They can be used for a variety of method feeder baskets



#### **Blue Shell**

Internal size 55×34 mm



**Orange Shell** 

Internal size 55×34 mm



**Green Shell** 

Internal size 49×28 mm



#### **Yellow Shell**

Internal size 65×37 mm



3350

Patented method fillers that are simple and quick to use.
Recommended for anglers using their filler devices holding them in their hands. In addition to Cralusso's method baskets it is also compatible with the competitionsize baskets manufactured by Guru, Drennen, Mivardi, Haldorádó etc.



Its shape is the same as that of Blue Shell. This self-locking version is recommended for anglers preferring to use their filler devices laid down. In addition to Cralusso's method baskets it is also compatible with the competition-size baskets manufactured by Guru, Drennen, Mivardi, Haldorádó, Topmix etc.

Self-lock patent version!



An opening quick-filler manufactured for method baskets of the most frequently used sizes and shapes. It can be effectively used with Preston, Energofish, TopMix, Nevis, Haldorádó etc. baskets It makes filling baskets easier and quicker.

Self-lock patent version!

#### 3353

An opening quick filler to fill up large method baskets. For easy handling of even such extreme materials as glued maggots. Easy to use with Energofish, Haldorádó and other similarly large baskets.

Self-lock patent version!







Shell fillers open up new dimensions in method fishing.









## Weights







Code	Weight	Pcs/bag
3002-1	1,0 gr	5 pcs
3002-1,5	1,5 gr	5 pcs
3002-2	2,0 gr	5 pcs
3002-2,5	2,5 gr	5 pcs
3002-3	3,0 gr	5 pcs
3002-4	4,0 gr	5 pcs
3002-5	5,0 gr	5 pcs
3002-6	6,0 gr	5 pcs
3002-7	7,0 gr	5 pcs
3002-8	8,0 gr	5 pcs
3002-mix	Mixed	5 pcs
		•

3001



Code	Weight	Pcs/bag
3001-1	1,0 gr	5 pcs
3001-1,5	1,5 gr	5 pcs
3001-2	2,0 gr	5 pcs
3001-2,5	2,5 gr	5 pcs
3001-3	3,0 gr	5 pcs
3001-4	4,0 gr	5 pcs
3001-5	5,0 gr	5 pcs
3001-6	6,0 gr	5 pcs
3001-7	7,0 gr	5 pcs
3001-8	8,0 gr	5 pcs
3001-10	10,0 gr	4 pcs
3001-12	12,0 gr	4 pcs
3001-15	15,0 gr	4 pcs
3001-18	18,0 gr	3 pcs
3001-20	20,0 gr	3 pcs
3001-25	25,0 gr	2 pcs
3001-30	30,0 gr	2 pcs
3001-mix	Mixed	5 pcs

3001-mix



Fix weight without lead, mix

3062





4 pcs/bag

## Anti tangle

Anti tangle tube with strong end

3101

Anti tangle tube with hooked snap

3102

Code	Size	Pcs/bag
3101-30	30 mm	3 pcs
3101-55	55 mm	3 pcs
3101-85	85 mm	3 pcs
3101-120	120 mm	3 pcs

Ballancer boom 15 cm

3110

3 pcs/bag

_	Code	Size	Pcs/bag
	3102-80	80 mm	3 pcs
A	3102-120	120 mm	3 pcs
	3102-180	180 mm	3 pcs

Semi fixed lead ring 3115 25 cm 3 pcs/bag

T-shirt Royal blue and white, Cralusso logo is in front and back, hard-wearing and fine material.

Code: 9002







Innovative Fishing Floats and Accessories

2025

## CRALUSSO, CHOICE OF THE WINNERS

Králik & Tsa. Kkt.
H-2600 Vác, Zrínyi u. 3.
Phone: +36/27-304-327
e-mail:cralusso@cralusso.com



www.cralusso.com